

Audit Review Table					
Presbyterian Health Plan, Inc. (Org ID: 579, Sub ID: 4104, Medicaid, Spec Area: None, Spec Proj: None, Contract Number: None)					
Measurement Year - 2021; Date & Timestamp - 6/10/2022 12:45:09 PM					
This submission is on the stage: Submission Finalized					
Measure/Data Element	Benefit Offered	Rate	Status	Audit Designation	Comment
<b>Effectiveness of Care</b>					
<b>Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)</b>					
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - BMI percentile (Total)		73.97%	R	R	Reported
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Counseling for Nutrition (Total)		61.8%	R	R	Reported
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Counseling for Physical Activity (Total)		58.15%	R	R	Reported
<b>Childhood Immunization Status (CIS)</b>					
Childhood Immunization Status - DTaP		69.59%	R	R	Reported
Childhood Immunization Status - IPV		85.16%	R	R	Reported
Childhood Immunization Status - MMR		88.08%	R	R	Reported
Childhood Immunization Status - HiB		84.43%	R	R	Reported
Childhood Immunization Status - Hepatitis B		83.94%	R	R	Reported
Childhood Immunization Status - VZV		87.83%	R	R	Reported
Childhood Immunization Status - Pneumococcal Conjugate		73.72%	R	R	Reported
Childhood Immunization Status - Hepatitis A		86.86%	R	R	Reported
Childhood Immunization Status - Rotavirus		73.24%	R	R	Reported
Childhood Immunization Status - Influenza		51.34%	R	R	Reported
Childhood Immunization Status - Combo 3		63.02%	R	R	Reported
Childhood Immunization Status - Combo 7		56.45%	R	R	Reported
Childhood Immunization Status - Combo 10		39.17%	R	R	Reported
<b>Immunizations for Adolescents (IMA)</b>					
Immunizations for Adolescents - Meningococcal		78.1%	R	R	Reported
Immunizations for Adolescents - Tdap		80.29%	R	R	Reported
Immunizations for Adolescents - HPV		32.6%	R	R	Reported
Immunizations for Adolescents - Combination 1		77.62%	R	R	Reported
Immunizations for Adolescents - Combination 2		31.87%	R	R	Reported
<b>Lead Screening in Children (LSC)</b>					
Lead Screening in Children		36.5%	R	R	Reported
<b>Breast Cancer Screening (BCS)</b>					
Breast Cancer Screening		33.32%	R	R	Reported
<b>Cervical Cancer Screening (CCS)</b>					
Cervical Cancer Screening		41.61%	R	R	Reported
<b>Chlamydia Screening in Women (CHL)</b>					
Chlamydia Screening in Women (Total)		48.71%	R	R	Reported
<b>Appropriate Testing for Pharyngitis (CWP)</b>					
Appropriate Testing for Pharyngitis (Total)	Y	73.62%	R	R	Reported
<b>Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)</b>					
Use of Spirometry Testing in the Assessment and Diagnosis of COPD		16.04%	R	R	Reported
<b>Pharmacotherapy Management of COPD Exacerbation (PCE)</b>					
Pharmacotherapy Management of COPD Exacerbation - Systemic Corticosteroid	Y	56.26%	R	R	Reported
Pharmacotherapy Management of COPD Exacerbation - Bronchodilator		64.88%	R	R	Reported
<b>Asthma Medication Ratio (AMR)</b>					
Asthma Medication Ratio (Total)	Y	67.22%	R	R	Reported
<b>Controlling High Blood Pressure (CBP)</b>					
Controlling High Blood Pressure		56.45%	R	R	Reported
<b>Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)</b>					
Persistence of Beta-Blocker Treatment After a Heart Attack	Y	80.53%	R	R	Reported
<b>Statin Therapy for Patients With Cardiovascular Disease (SPC)</b>					
Statin Therapy for Patients With Cardiovascular Disease - Received Statin Therapy (Total)	Y	65.09%	R	R	Reported
Statin Therapy for Patients With Cardiovascular Disease - Statin Adherence 80% (Total)		65.31%	R	R	Reported
<b>Cardiac Rehabilitation (CRE)</b>					
Cardiac Rehabilitation - Initiation (Total)		3.64%	R	R	Reported
Cardiac Rehabilitation - Engagement1 (Total)		3.79%	R	R	Reported
Cardiac Rehabilitation - Engagement2 (Total)		1.82%	R	R	Reported
Cardiac Rehabilitation - Achievement (Total)		0.76%	R	R	Reported
<b>Comprehensive Diabetes Care (CDC)</b>					
Comprehensive Diabetes Care - HbA1c Testing		80.05%	R	R	Reported
Comprehensive Diabetes Care - Poor HbA1c Control		45.74%	R	R	Reported

<i>Comprehensive Diabetes Care - HbA1c Control (&lt;8%)</i>		45.74%	R	R	Reported
<i>Comprehensive Diabetes Care - Eye Exams</i>		40.88%	R	R	Reported
<i>Comprehensive Diabetes Care - Blood Pressure Control (&lt;140/90)</i>		54.26%	R	R	Reported
<b>Kidney Health Evaluation for Patients With Diabetes (KED)</b>					
<i>Kidney Health Evaluation for Patients With Diabetes (Total)</i>		31.98%	R	R	Reported
<b>Statin Therapy for Patients With Diabetes (SPD)</b>	Y				
<i>Statin Therapy for Patients With Diabetes - Received Statin Therapy</i>		48.92%	R	R	Reported
<i>Statin Therapy for Patients With Diabetes - Statin Adherence 80%</i>		61.84%	R	R	Reported
<b>Antidepressant Medication Management (AMM)</b>	Y				
<i>Antidepressant Medication Management - Effective Acute Phase Treatment</i>		63.72%	R	R	Reported
<i>Antidepressant Medication Management - Effective Continuation Phase Treatment</i>		44.8%	R	R	Reported
<b>Follow-Up Care for Children Prescribed ADHD Medication (ADD)</b>	Y				
<i>Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase</i>		26.83%	R	R	Reported
<i>Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase</i>		31.34%	R	R	Reported
<b>Follow-up After Hospitalization for Mental Illness (FUH)</b>	Y				
<i>Follow-Up After Hospitalization For Mental Illness - 30 days (Total)</i>		53.84%	R	R	Reported
<i>Follow-Up After Hospitalization For Mental Illness - 7 days (Total)</i>		35.61%	R	R	Reported
<b>Follow-Up After Emergency Department Visit for Mental Illness (FUM)</b>	Y				
<i>Follow-Up After Emergency Department Visit for Mental Illness - 30 days (Total)</i>		63.4%	R	R	Reported
<i>Follow-Up After Emergency Department Visit for Mental Illness - 7 days (Total)</i>		50.77%	R	R	Reported
<b>Follow-Up After High-Intensity Care for Substance Use Disorder (FUJ)</b>	Y				
<i>Follow-Up After High-Intensity Care for Substance Use Disorder - 30 days (Total)</i>		46.35%	R	R	Reported
<i>Follow-Up After High-Intensity Care for Substance Use Disorder - 7 Days (Total)</i>		22.27%	R	R	Reported
<b>Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA)</b>	Y				
<i>Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence - 30 days (Total)</i>		22%	R	R	Reported
<i>Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence - 7 days (Total)</i>		14.62%	R	R	Reported
<b>Pharmacotherapy for Opioid Use Disorder (POD)</b>	Y				
<i>Pharmacotherapy for Opioid Use Disorder (Total)</i>		19.04%	R	R	Reported
<b>Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)</b>	Y				
<i>Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications</i>		78.48%	R	R	Reported
<b>Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)</b>					
<i>Diabetes Monitoring for People With Diabetes and Schizophrenia</i>		64.49%	R	R	Reported
<b>Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)</b>					
<i>Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia</i>		78.38%	R	R	Reported
<b>Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)</b>	Y				
<i>Adherence to Antipsychotic Medications for Individuals With Schizophrenia</i>		56.53%	R	R	Reported
<b>Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM)</b>	Y				
<i>Metabolic Monitoring for Children and Adolescents on Antipsychotics - Blood Glucose Testing (Total)</i>		61.44%	R	R	Reported
<i>Metabolic Monitoring for Children and Adolescents on Antipsychotics - Cholesterol Testing (Total)</i>		40.67%	R	R	Reported
<i>Metabolic Monitoring for Children and Adolescents on Antipsychotics - Blood Glucose and Cholesterol Testing (Total)</i>		39.99%	R	R	Reported
<b>Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)</b>					
<i>Non-Recommended Cervical Cancer Screening in Adolescent Females</i>		0.33%	R	R	Reported
<b>Appropriate Treatment for Upper Respiratory Infection (URI)</b>	Y				
<i>Appropriate Treatment for Upper Respiratory Infection (Total)</i>		85.55%	R	R	Reported
<b>Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB)</b>	Y				
<i>Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (Total)</i>		50.72%	R	R	Reported
<b>Use of Imaging Studies for Low Back Pain (LBP)</b>					
<i>Use of Imaging Studies for Low Back Pain</i>		73.9%	R	R	Reported
<b>Use of Opioids at High Dosage (HDO)</b>	Y				
<i>Use of Opioids at High Dosage</i>		4.41%	R	R	Reported

<b>Use of Opioids From Multiple Providers (UOP)</b>	Y				
<i>Use of Opioids From Multiple Providers - Multiple Prescribers</i>		16.44%	R	R	Reported
<i>Use of Opioids From Multiple Providers - Multiple Pharmacies</i>		1.79%	R	R	Reported
<i>Use of Opioids From Multiple Providers - Multiple Prescribers and Multiple Pharmacies</i>		0.92%	R	R	Reported
<b>Risk of Continued Opioid Use (COU)</b>	Y				
<i>Risk of Continued Opioid Use - &gt;=15 Days (Total)</i>		5.87%	R	R	Reported
<i>Risk of Continued Opioid Use - &gt;=31 Days (Total)</i>		4.47%	R	R	Reported
<b>Access/Availability of Care</b>					
<b>Adults' Access to Preventive/Ambulatory Health Services (AAP)</b>					
<i>Adults' Access to Preventive/Ambulatory Health Services (Total)</i>		75.28%	R	R	Reported
<b>Annual Dental Visit (ADV)</b>	Y				
<i>Annual Dental Visit (Total)</i>		57.97%	R	R	Reported
<b>Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET)</b>	Y				
<i>Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Alcohol Abuse or Dependence (Total)</i>		49.67%	R	R	Reported
<i>Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Alcohol Abuse or Dependence (Total)</i>		19.63%	R	R	Reported
<i>Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Opioid Abuse or Dependence (Total)</i>		67.02%	R	R	Reported
<i>Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Opioid Abuse or Dependence (Total)</i>		27.12%	R	R	Reported
<i>Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Other Drug Abuse or Dependence (Total)</i>		57.24%	R	R	Reported
<i>Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Other Drug Abuse or Dependence (Total)</i>		20.82%	R	R	Reported
<i>Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Initiation of AOD - Total (Total)</i>		54.25%	R	R	Reported
<i>Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment - Engagement of AOD - Total (Total)</i>		21.16%	R	R	Reported
<b>Prenatal and Postpartum Care (PPC)</b>					
<i>Prenatal and Postpartum Care - Timeliness of Prenatal Care</i>		67.22%	R	R	Reported
<i>Prenatal and Postpartum Care - Postpartum Care</i>		68.33%	R	R	Reported
<b>Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)</b>	Y				
<i>Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (Total)</i>		55.54%	R	R	Reported
<b>Utilization</b>					
<b>Well-Child Visits in the First 30 Months of Life (W30)</b>					
<i>Well-Child Visits in the First 30 Months of Life (First 15 Months)</i>		44.37%	R	R	Reported
<i>Well-Child Visits in the First 30 Months of Life (15 Months-30 Months)</i>		53.16%	R	R	Reported
<b>Child and Adolescent Well-Care Visits (WCV)</b>					
<i>Child and Adolescent Well-Care Visits (Total)</i>		37.17%	R	R	Reported
<b>Frequency of Selected Procedures (FSP)</b>			R	R	Reported
<b>Ambulatory Care (AMBa)</b>			R	R	Reported
<b>Ambulatory Care (Dual) (AMBb)</b>			NR	NR	Not Reported
<b>Ambulatory Care (Disabled) (AMBc)</b>			NR	NR	Not Reported
<b>Ambulatory Care (Low Income) (AMBd)</b>			NR	NR	Not Reported
<b>Inpatient Utilization - General Hospital/Acute Care (IPUa)</b>			R	R	Reported
<b>Inpatient Utilization - General Hospital/Acute Care (Dual) (IPUb)</b>			NR	NR	Not Reported
<b>Inpatient Utilization - General Hospital/Acute Care (Disabled) (IPUc)</b>			NR	NR	Not Reported
<b>Inpatient Utilization - General Hospital/Acute Care (Low Income) (IPUd)</b>			NR	NR	Not Reported
<b>Identification of Alcohol and other Drug Services (IADa)</b>	Y		R	R	Reported
<b>Identification of Alcohol and Other Drug Services (Dual) (IADb)</b>			NR	NR	Not Reported
<b>Identification of Alcohol and Other Drug Services (Disabled) (IADc)</b>			NR	NR	Not Reported
<b>Identification of Alcohol and Other Drug Services (Low Income) (IADd)</b>			NR	NR	Not Reported
<b>Mental Health Utilization (MPTa)</b>	Y		R	R	Reported
<b>Mental Health Utilization (Dual) (MPTb)</b>			NR	NR	Not Reported
<b>Mental Health Utilization (Disabled) (MPTc)</b>			NR	NR	Not Reported
<b>Mental Health Utilization (Low Income) (MPTd)</b>			NR	NR	Not Reported
<b>Antibiotic Utilization (ABXa)</b>	Y		R	R	Reported

Antibiotic Utilization (Dual) (ABXb)			NR	NR	Not Reported
Antibiotic Utilization (Disabled) (ABXc)			NR	NR	Not Reported
Antibiotic Utilization (Low Income) (ABXd)			NR	NR	Not Reported
<b>Risk Adjusted Utilization</b>					
Plan All-Cause Readmissions (PCR)			R	R	Reported
<b>Health Plan Descriptive Information</b>					
Enrollment by Product Line (ENPa)			R	R	Reported
Enrollment by Product Line (Dual) (ENPb)			NR	NR	Not Reported
Enrollment by Product Line (Disabled) (ENPc)			NR	NR	Not Reported
Enrollment by Product Line (Low Income) (ENPd)			NR	NR	Not Reported
Language Diversity of Membership (LDM)			R	R	Reported
Race/Ethnicity Diversity of Membership (RDM)			R	R	Reported
<b>Electronic Clinical Data Systems</b>					
Breast Cancer Screening (BCS-E)					
<i>Breast Cancer Screening</i>			NR	NR	Not Reported
Follow-Up Care for Children Prescribed ADHD Medication (ADD-E)					
<i>Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase</i>			NR	NR	Not Reported
<i>Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase</i>			NR	NR	Not Reported
Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)					
<i>Depression Screening and Follow-Up for Adolescents and Adults - Depression Screening (Total)</i>			NR	NR	Not Reported
<i>Depression Screening and Follow-Up for Adolescents and Adults - Follow-up on Positive Screen (Total)</i>			NR	NR	Not Reported
Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E)					
<i>Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period1 (Total)</i>			NR	NR	Not Reported
<i>Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period2 (Total)</i>			NR	NR	Not Reported
<i>Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Period3 (Total)</i>			NR	NR	Not Reported
<i>Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults - Utilization of PHQ-9-Total (Total)</i>			NR	NR	Not Reported
Depression Remission or Response for Adolescents and Adults (DRR-E)					
<i>Depression Remission or Response for Adolescents and Adults - Follow-up PHQ-9 (Total)</i>			NR	NR	Not Reported
<i>Depression Remission or Response for Adolescents and Adults - Depression Remission (Total)</i>			NR	NR	Not Reported
<i>Depression Remission or Response for Adolescents and Adults - Depression Response (Total)</i>			NR	NR	Not Reported
Unhealthy Alcohol Use Screening and Follow-Up (ASF-E)					
<i>Unhealthy Alcohol Use Screening and Follow-Up - Unhealthy Alcohol Use Screening (Total)</i>			NR	NR	Not Reported
<i>Unhealthy Alcohol Use Screening and Follow-Up - Alcohol Counseling or Other Follow-Up Care (Total)</i>			NR	NR	Not Reported
Adult Immunization Status (AIS-E)					
<i>Adult Immunization Status - Influenza</i>			NR	NR	Not Reported
<i>Adult Immunization Status - Td/Tdap</i>			NR	NR	Not Reported
<i>Adult Immunization Status - Zoster</i>			NR	NR	Not Reported
Prenatal Immunization Status (PRS-E)					
<i>Prenatal Immunization Status - Influenza</i>		26.88%	R	R	Reported
<i>Prenatal Immunization Status - Tdap</i>		55.17%	R	R	Reported
<i>Prenatal Immunization Status - Combination</i>		22.52%	R	R	Reported
Prenatal Depression Screening and Follow-Up (PND-E)					
<i>Prenatal Depression Screening and Follow-Up - Depression Screening</i>			NR	NR	Not Reported
<i>Prenatal Depression Screening and Follow-Up - Follow-Up on Positive Screen</i>			NR	NR	Not Reported
Postpartum Depression Screening and Follow-Up (PDS-E)					
<i>Postpartum Depression Screening and Follow-Up - Depression Screening</i>			NR	NR	Not Reported
<i>Postpartum Depression Screening and Follow-Up - Follow-Up on Positive Screen</i>			NR	NR	Not Reported