

Total Membership (TLM)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Product/Product Line	Total Number of Members*
HMO (Total)	14,753
Medicaid	14753
Commercial	0
Medicare (cost or risk)	0
Other	0
PPO (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
POS (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
FFS (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
Total	14,753
* Total number of members in each category as of December 31 of the measurement year.	

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)						
The Auditor lock has been applied to this submission.						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
Effectiveness of Care: Prevention and Screening						
Adult BMI Assessment (aba)	Y			NA	R	Denominator fewer than 30
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (wcc)	Y					
<i>BMI Percentile</i>				21.85%	R	Reportable
<i>Counseling for Nutrition</i>				28.92%	R	Reportable
<i>Counseling for Physical Activity</i>				20.53%	R	Reportable
Childhood Immunization Status (cis)	Y					
<i>DTaP</i>				NA	R	Denominator fewer than 30
<i>IPV</i>				NA	R	Denominator fewer than 30
<i>MMR</i>				NA	R	Denominator fewer than 30
<i>HIB</i>				NA	R	Denominator fewer than 30
<i>Hepatitis B</i>				NA	R	Denominator fewer than 30
<i>VZV</i>				NA	R	Denominator fewer than 30
<i>Pneumococcal Conjugate</i>				NA	R	Denominator fewer than 30
<i>Hepatitis A</i>				NA	R	Denominator fewer than 30
<i>Rotavirus</i>				NA	R	Denominator fewer than 30
<i>Influenza</i>				NA	R	Denominator fewer than 30
<i>Combination #2</i>				NA	R	Denominator fewer than 30
<i>Combination #3</i>				NA	R	Denominator fewer than 30
<i>Combination #4</i>				NA	R	Denominator fewer than 30
<i>Combination #5</i>				NA	R	Denominator fewer than 30
<i>Combination #6</i>				NA	R	Denominator fewer than 30
<i>Combination #7</i>				NA	R	Denominator fewer than 30
<i>Combination #8</i>				NA	R	Denominator fewer than 30
<i>Combination #9</i>				NA	R	Denominator fewer than 30
<i>Combination #10</i>				NA	R	Denominator fewer than 30
Immunizations for Adolescents (ima)	Y					
<i>Meningococcal</i>				NA	R	Denominator fewer than 30
<i>Tdap/Td</i>				NA	R	Denominator fewer than 30
<i>Combination #1</i>				NA	R	Denominator fewer than 30
Lead Screening in Children (lsc)	Y			NA	R	Denominator fewer than 30
Breast Cancer Screening (bcs)	Y			NA	R	Denominator fewer than 30
Cervical Cancer Screening (ccs)	Y		N	50.45%	R	Reportable
Chlamydia Screening in Women (chl)	Y					
<i>16-20 Years</i>				53.92%	R	Reportable
<i>21-24 Years</i>				74.47%	R	Reportable
<i>Total</i>				60.40%	R	Reportable
Effectiveness of Care: Respiratory Conditions						
Appropriate Testing for Children with Pharyngitis (cwp)	Y	Y		53.33%	R	Reportable
Appropriate Treatment for Children With URI (uri)	Y	Y		82.97%	R	Reportable
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (aab)	Y	Y		NA	R	Denominator fewer than 30
Use of Spirometry Testing in the Assessment and Diagnosis of COPD (spr)	Y			NA	R	Denominator fewer than 30
Pharmacotherapy Management of COPD Exacerbation (pce)	Y	Y				
<i>Systemic Corticosteroid</i>				NA	R	Denominator fewer than 30
<i>Bronchodilator</i>				NA	R	Denominator fewer than 30
Use of Appropriate Medications for People With Asthma (asm)	Y	Y				
<i>5-11 Years</i>				NA	R	Denominator fewer than 30
<i>12-50 Years</i>				NA	R	Denominator fewer than 30
<i>Total</i>				NA	R	Denominator fewer than 30
Effectiveness of Care: Cardiovascular						
Cholesterol Management for Patients With Cardiovascular Conditions (cmc)	Y					
<i>LDL-C Screening Performed</i>				NA	R	Denominator fewer than 30
<i>LDL-C Control (<100 mg/dL)</i>				NA	R	Denominator fewer than 30
Controlling High Blood Pressure (cbp)	Y		N	44.68%	R	Reportable
Persistence of Beta-Blocker Treatment After a Heart Attack (pbh)	Y	Y		NA	R	Denominator fewer than 30
Effectiveness of Care: Diabetes						
Comprehensive Diabetes Care (cdc)	Y					
<i>Hemoglobin A1c (HbA1c) Testing</i>				75.68%	R	Reportable
<i>HbA1c Poor Control (>9.0%)</i>				54.05%	R	Reportable
<i>HbA1c Control (<8.0%)</i>				37.84%	R	Reportable
<i>HbA1c Control (<7.0%)</i>				NA	R	Denominator fewer than 30
<i>Eye Exam (Retinal) Performed</i>				37.84%	R	Reportable
<i>LDL-C Screening Performed</i>				64.86%	R	Reportable
<i>LDL-C Control (<100 mg/dL)</i>				18.92%	R	Reportable
<i>Medical Attention for Nephropathy</i>				70.27%	R	Reportable
<i>Blood Pressure Control (<130/80 mm Hg)</i>				40.54%	R	Reportable

<i>Blood Pressure Control (<140/90 mm Hg)</i>				59.46%	R	Reportable
Effectiveness of Care: Musculoskeletal						
Disease Modifying Anti-Rheumatic Drug therapy in Rheumatoid Arthritis (art)	Y	Y		NA	R	Denominator fewer than 30
Use of Imaging Studies for Low Back Pain (lbp)	Y			NA	R	Denominator fewer than 30
Effectiveness of Care: Behavioral Health						
Antidepressant Medication Management (amm)	N	N				
<i>Effective Acute Phase Treatment</i>				NR	NR	
<i>Effective Continuation Phase Treatment</i>				NR	NR	
Follow-Up Care for Children Prescribed ADHD Medication (add)	Y	Y				
<i>Initiation Phase</i>				NA	R	Denominator fewer than 30
<i>Continuation and Maintenance (C&M) Phase</i>				NA	R	Denominator fewer than 30
Follow-Up After Hospitalization for Mental Illness (fuh)	N	N				
<i>30-Day Follow-Up</i>				NR	NR	
<i>7-Day Follow-Up</i>				NR	NR	
Effectiveness of Care: Medication Management						
Annual Monitoring for Patients on Persistent Medications (mpm)	Y	Y				
<i>ACE Inhibitors or ARBs</i>				NA	R	Denominator fewer than 30
<i>Digoxin</i>				NA	R	Denominator fewer than 30
<i>Diuretics</i>				NA	R	Denominator fewer than 30
<i>Anticonvulsants</i>				NA	R	Denominator fewer than 30
<i>Total</i>				80.43%	R	Reportable
Access/Availability of Care						
Adults' Access to Preventive/Ambulatory Health Services (aap)	Y					
<i>20-44 Years</i>				77.90%	R	Reportable
<i>45-64 Years</i>				80.89%	R	Reportable
<i>65+ Years</i>				NA	R	Denominator fewer than 30
<i>Total</i>				78.70%	R	Reportable
Children and Adolescents' Access to Primary Care Practitioners (cap)	Y					
<i>12-24 Months</i>				93.95%	R	Reportable
<i>25 Months - 6 Years</i>				81.02%	R	Reportable
<i>7-11 Years</i>				NA	R	Denominator fewer than 30
<i>12-19 Years</i>				NA	R	Denominator fewer than 30
Annual Dental Visit (adv)	Y	Y				
<i>2-3 Years</i>				35.14%	R	Reportable
<i>4-6 Years</i>				57.60%	R	Reportable
<i>7-10 Years</i>				56.75%	R	Reportable
<i>11-14 Years</i>				56.97%	R	Reportable
<i>15-18 Years</i>				43.41%	R	Reportable
<i>19-21 Years</i>				25.97%	R	Reportable
<i>Total</i>				50.33%	R	Reportable
Initiation and Engagement of AOD Dependence Treatment (iet)	N	N				
<i>Initiation of AOD Treatment: 13-17 Years</i>				NR	NR	
<i>Engagement of AOD Treatment: 13-17 Years</i>				NR	NR	
<i>Initiation of AOD Treatment: 18+ Years</i>				NR	NR	
<i>Engagement of AOD Treatment: 18+ Years</i>				NR	NR	
<i>Initiation of AOD Treatment: Total</i>				NR	NR	
<i>Engagement of AOD Treatment: Total</i>				NR	NR	
Prenatal and Postpartum Care (ppc)	Y		N			
<i>Timeliness of Prenatal Care</i>				67.26%	R	Reportable
<i>Postpartum Care</i>				55.53%	R	Reportable
Call Answer Timeliness (cat)	Y			89.44%	R	Reportable
Call Abandonment (cab)	Y			1.26%	R	Reportable
Use of Services						
Frequency of Ongoing Prenatal Care (fpc)	Y		N			
<i><21 Percent</i>				23.67%	R	Reportable
<i>21-40 Percent</i>				5.53%	R	Reportable
<i>41-60 Percent</i>				6.86%	R	Reportable
<i>61-80 Percent</i>				7.52%	R	Reportable
<i>81+ Percent</i>				56.42%	R	Reportable
Well-Child Visits in the First 15 Months of Life (w15)	Y					
<i>0 Visits</i>				8.57%	R	Reportable
<i>1 Visit</i>				2.86%	R	Reportable
<i>2 Visits</i>				7.14%	R	Reportable
<i>3 Visits</i>				11.43%	R	Reportable
<i>4 Visits</i>				20.00%	R	Reportable
<i>5 Visits</i>				25.71%	R	Reportable
<i>6+ Visits</i>				24.29%	R	Reportable
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (w34)	Y			54.30%	R	Reportable
Adolescent Well-Care Visits (awc)	Y			35.98%	R	Reportable

Frequency of Selected Procedures (fsp)	Y				R	Reportable
Ambulatory Care: Total (amba)	Y				R	Reportable
Ambulatory Care: Dual Eligibles (ambb)	N				NR	
Ambulatory Care: Disabled (ambc)	N				NR	
Ambulatory Care: Other (ambd)	N				NR	
Inpatient Utilization--General Hospital/Acute Care: Total (ipua)	Y				R	Reportable
Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (ipub)	N				NR	
Inpatient Utilization--General Hospital/Acute Care: Disabled (ipuc)	N				NR	
Inpatient Utilization--General Hospital/Acute Care: Other (ipud)	N				NR	
Inpatient Utilization--Nonacute Care: Total (nona)	Y				R	Reportable
Inpatient Utilization--Nonacute Care: Dual Eligibles (nonb)	N				NR	
Inpatient Utilization--Nonacute Care: Disabled (nonc)	N				NR	
Inpatient Utilization--Nonacute Care: Other	N				NR	
Identification of Alcohol and Other Drug Services: Total (iada)	N	N			NR	
Identification of Alcohol and Other Drug Services: Dual Eligibles (iadb)	N	N			NR	
Identification of Alcohol and Other Drug Services: Disabled (iadc)	N	N			NR	
Identification of Alcohol and Other Drug Services: Other (iadd)	N	N			NR	
Mental Health Utilization: Total (mpta)	N	N			NR	
Mental Health Utilization: Dual Eligibles (mptb)	N	N			NR	
Mental Health Utilization: Disabled (mptc)	N	N			NR	
Mental Health Utilization: Other (mptd)	N	N			NR	
Antibiotic Utilization: Total (abxa)	Y	Y			R	Reportable
Antibiotic Utilization: Dual Eligibles (abxb)	N	N			NR	
Antibiotic Utilization: Disabled (abxc)	N	N			NR	
Antibiotic Utilization: Other (abxd)	N	N			NR	
Outpatient Drug Utilization: Total (orxa)	Y	Y			R	Reportable
Outpatient Drug Utilization: Dual Eligibles (orxb)	N	N			NR	
Outpatient Drug Utilization: Disabled (orxc)	N	N			NR	
Outpatient Drug Utilization: Other (orxd)	N	N			NR	
Cost of Care						
Relative Resource Use for People With Diabetes (rdi)	N					
<i>Inpatient Facility: Per Member Per Month</i>					NR	NR
<i>E & M Inpatient: Per Member Per Month</i>					NR	NR
<i>E & M Outpatient: Per Member Per Month</i>					NR	NR
<i>Surgery Inpatient: Per Member Per Month</i>					NR	NR
<i>Surgery Outpatient: Per Member Per Month</i>					NR	NR
<i>Pharmacy: Per Member Per Month</i>					NR	NR
<i>Inpatient Facility Discharges per 1,000 Member Years</i>					NR	NR
<i>ED Visits per 1,000 Member Years</i>					NR	NR
Relative Resource Use for People With Asthma (ras)	N	N				
<i>Inpatient Facility: Per Member Per Month</i>					NR	NR
<i>E & M Inpatient: Per Member Per Month</i>					NR	NR
<i>E & M Outpatient: Per Member Per Month</i>					NR	NR
<i>Surgery Inpatient: Per Member Per Month</i>					NR	NR
<i>Surgery Outpatient: Per Member Per Month</i>					NR	NR
<i>Pharmacy: Per Member Per Month</i>					NR	NR
<i>Inpatient Facility Discharges per 1,000 Member Years</i>					NR	NR
<i>ED Visits per 1,000 Member Years</i>					NR	NR
Relative Resource Use for People With Acute Lower Back Pain (rib)	N					
<i>Inpatient Facility: Per Member Per Month</i>					NR	NR
<i>E & M Inpatient: Per Member Per Month</i>					NR	NR
<i>E & M Outpatient: Per Member Per Month</i>					NR	NR
<i>Surgery Inpatient: Per Member Per Month</i>					NR	NR
<i>Surgery Outpatient: Per Member Per Month</i>					NR	NR
<i>Pharmacy: Per Member Per Month</i>					NR	NR
<i>Inpatient Facility Discharges per 1,000 Member Years</i>					NR	NR
<i>ED Visits per 1,000 Member Years</i>					NR	NR
<i>MRIs per 1,000 Member Years</i>					NR	NR
Relative Resource Use for People With Cardiovascular Conditions (rca)	N					
<i>Inpatient Facility: Per Member Per Month</i>					NR	NR
<i>E & M Inpatient: Per Member Per Month</i>					NR	NR
<i>E & M Outpatient: Per Member Per Month</i>					NR	NR
<i>Surgery Inpatient: Per Member Per Month</i>					NR	NR

Surgery Outpatient: Per Member Per Month				NR	NR	
Pharmacy: Per Member Per Month				NR	NR	
Inpatient Facility Discharges per 1,000 Member Years				NR	NR	
ED Visits per 1,000 Member Years				NR	NR	
Relative Resource Use for People With Hypertension (rhy)	N					
Inpatient Facility: Per Member Per Month				NR	NR	
E & M Inpatient: Per Member Per Month				NR	NR	
E & M Outpatient: Per Member Per Month				NR	NR	
Surgery Inpatient: Per Member Per Month				NR	NR	
Surgery Outpatient: Per Member Per Month				NR	NR	
Pharmacy: Per Member Per Month				NR	NR	
Inpatient Facility Discharges per 1,000 Member Years				NR	NR	
ED Visits per 1,000 Member Years				NR	NR	
Relative Resource Use for People With COPD (rco)	N					
Inpatient Facility: Per Member Per Month				NR	NR	
E & M Inpatient: Per Member Per Month				NR	NR	
E & M Outpatient: Per Member Per Month				NR	NR	
Surgery Inpatient: Per Member Per Month				NR	NR	
Surgery Outpatient: Per Member Per Month				NR	NR	
Pharmacy: Per Member Per Month				NR	NR	
Inpatient Facility Discharges per 1,000 Member Years				NR	NR	
ED Visits per 1,000 Member Years				NR	NR	
Health Plan Descriptive Information						
Board Certification (bcr)	Y				R	Reportable
Enrollment by Product Line: Total (enpa)	Y				R	Reportable
Enrollment by Product Line: Dual Eligibles (enpb)	N				NR	
Enrollment by Product Line: Disabled (enpc)	N				NR	
Enrollment by Product Line: Other (enpd)	N				NR	
Enrollment by State (ebs)	Y				R	Reportable
Race/Ethnicity Diversity of Membership (rdm)	Y				R	Reportable
Language Diversity of Membership (ldm)	Y				R	Reportable
Weeks of Pregnancy at Time of Enrollment in MCO (wop)	Y		N		R	Reportable
Health Plan Stability						
Total Membership (tlm)	Y				R	Reportable

Adult BMI Assessment (ABA)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative or hybrid)	H
Eligible population	5
Number of numerator events by administrative data in eligible population (before exclusions)	0
Current year's administrative rate (before exclusions)	0.00%
Minimum required sample size (MRSS) or other sample size	4
Oversampling rate	0.1
Final sample size (FSS)	4
Number of numerator events by administrative data in FSS	0
Administrative rate on FSS	0.00%
Number of original sample records excluded because of valid data errors	0
Number of administrative data records excluded	0
Number of medical records excluded	0
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	4
Numerator events by administrative data	0
Numerator events by medical records	1
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)									
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)									
Data Element	BMI Percentile			Counseling for Nutrition			Counseling for Physical Activity		
	3-11 years	12-17 years	Total	3-11 years	12-17 years	Total	3-11 years	12-17 years	Total
Measurement year	2009			2009			2009		
Data collection methodology (administrative or hybrid)	H			H			H		
Eligible population	843	366	1,209	843	366	1,209	843	366	1,209
Number of numerator events by administrative data in eligible population (before exclusions)	4	1	5	5	3	8	1	0	1
Current year's administrative rate (before exclusions)	0.47%	0.27%	0.41%	0.59%	0.82%	0.66%	0.12%	0.00%	0.08%
Minimum required sample size (MRSS) or other sample size	411			411			411		
Oversampling rate	0.1			0.1			0.1		
Final sample size	453			453			453		
Number of numerator events by administrative data in FSS	1	1	2	1	1	2	0	0	0
Administrative rate on FSS	0.22%	0.22%	0.44%	0.22%	0.22%	0.44%	0.00%	0.00%	0.00%
Number of original sample records excluded because of valid data errors	0			0			0		
Number of administrative data records excluded	0			0			0		
Number of medical records excluded	0			0			0		
Number of employee/dependent medical records excluded	0			0			0		
Records added from the oversample list	0			0			0		
Denominator	311	142	453	311	142	453	311	142	453
Numerator events by administrative data	1	1	2	1	1	2	0	0	0
Numerator events by medical records	58	39	97	91	38	129	56	37	93
Reported rate	18.97%	28.17%	21.85%	29.58%	27.46%	28.92%	18.01%	26.06%	20.53%
Lower 95% confidence interval	14.45%	20.42%	17.94%	24.35%	19.77%	24.63%	13.58%	18.48%	16.70%
Upper 95% confidence interval	23.49%	35.92%	25.77%	34.82%	35.16%	33.20%	22.44%	33.63%	24.36%

Childhood Immunization Status (CIS)																				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)																				
Data Element	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza	Combinatio n 2	Combinatio n 3	Combinatio n 4	Combinatio n 5	Combinatio n 6	Combinatio n 7	Combinatio n 8	Combinatio n 9	Combinatio n 10
Measurement year	2009																			
Data collection methodology (administrative or hybrid)	H																			
Eligible population	27																			
Number of numerator events by admin data in eligible population (before exclusions)		10	9	19	14	12	21	10	6	8	4	7	6	1	3	2	0	0	2	0
Current year's administrative rate (before exclusions)		37.04%	33.33%	70.37%	51.85%	44.44%	77.78%	37.04%	22.22%	29.63%	14.81%	25.93%	22.22%	3.70%	11.11%	7.41%	0.00%	0.00%	7.41%	0.00%
Minimum required sample size (MRSS) or other sample Size	27																			
Oversampling rate	0																			
Final sample size	27																			
Number of numerator events by admin data in FSS		10	9	19	14	12	21	10	6	8	4	7	6	1	3	2	0	0	2	0
Administrative rate on FSS		37.04%	33.33%	70.37%	51.85%	44.44%	77.78%	37.04%	22.22%	29.63%	14.81%	25.93%	22.22%	3.70%	11.11%	7.41%	0.00%	0.00%	7.41%	0.00%
Number of original records excluded because of valid data errors	0																			
Number of administrative data records excluded	0																			
Number of medical data records excluded	0																			
Number of employee/dependent medical records excluded	0																			
Records added from the oversample list	0																			
Denominator	27																			
Numerator events by administrative data		10	9	19	14	12	21	10	6	8	4	7	6	1	3	2	0	0	2	0
Number of numerator events by medical records		8	10	2	6	8	2	6	1	4	3	9	9	5	7	3	3	3	2	2
Reported rate		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Lower 95% confidence interval		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Upper 95% confidence interval		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Immunizations for Adolescents (IMA)				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)				
Data Element	General Measure Data	Meningococcal	Tdap/Td	Combination 1
Measurement year	2009			
Data collection methodology (administrative or hybrid)	H			
Eligible population	19			
Number of numerator events by admin data in eligible population (before exclusions)		3	8	2
Current year's administrative rate (before exclusions)		15.79%	42.11%	10.53%
Minimum required sample size (MRSS) or other sample Size	19			
Oversampling rate	0.1			
Final sample size	19			
Number of numerator events by admin data in FSS		3	8	2
Administrative rate on FSS		15.79%	42.11%	10.53%
Number of original records excluded because of valid data errors	0			
Number of administrative data records excluded	0			
Number of medical data records excluded	0			
Number of employee/dependent medical records excluded	0			
Records added from the oversample list	0			
Denominator	19			
Numerator events by administrative data		3	8	2
Number of numerator events by medical records		1	1	1
Reported rate		NA	NA	NA
Lower 95% confidence interval		NA	NA	NA
Upper 95% confidence interval		NA	NA	NA

Lead Screening in Children (LSC)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Lead Screening in Children	
Data Elements which do not apply to the selected data collection methodology will not appear	General Measure Data
Measurement year	2009
Data collection methodology (administrative or hybrid)	H
Eligible population	27
Number of numerator events by admin data in eligible population (before exclusions)	0
Current year's administrative rate (before exclusions)	0.00%
Minimum required sample size (MRSS) or other sample size	27
Oversampling rate	0
Final sample size (FSS)	27
Number of numerator events by administrative data in FSS	1
Administrative rate on FSS	3.70%
Number of original sample records excluded because of valid data errors	0
Number of administrative data records excluded	0
Number of medical data records excluded	0
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	27
Numerator events by administrative data	1
Numerator events by medical records	1
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Breast Cancer Screening (BCS)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	General Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	0
Numerator events by administrative data	0
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Cervical Cancer Screening (CCS)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative or hybrid)	H
Eligible population	347
Number of numerator events by administrative data in eligible population (before exclusions)	139
Current year's administrative rate (before exclusions)	40.06%
Minimum required sample size (MRSS) or other sample size	340
Oversampling rate	0.1
Final sample size (FSS)	340
Number of numerator events by administrative data in FSS	141
Administrative rate on FSS	41.47%
Number of original sample records excluded because of valid data errors	1
Number of administrative data records excluded	0
Number of medical data records excluded	4
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	335
Numerator events by administrative data	141
Numerator events by medical records	28
Reported rate	50.45%
Lower 95% confidence interval	44.94%
Upper 95% confidence interval	55.95%

Chlamydia Screening in Women (CHL)				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)				
Data Element	General Measure Data	16-20 years	21-24 years	Total
Measurement year	2009			
Data collection methodology (administrative)	A			
Eligible population		102	47	149
Numerator events by administrative data		55	35	90
Reported rate		53.92%	74.47%	60.40%
Lower 95% confidence interval		43.76%	60.94%	52.21%
Upper 95% confidence interval		64.09%	88.00%	68.59%

Appropriate Testing for Children with Pharyngitis (CWP)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	75
Numerator events by administrative data	40
Reported rate	53.33%
Lower 95% confidence interval	41.38%
Upper 95% confidence interval	65.29%

Appropriate Treatment for Children With URI (URI)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	182
Numerator events by administrative data	31
Reported rate	82.97%
Lower 95% confidence interval	77.23%
Upper 95% confidence interval	88.70%

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	2
Total numerator events by administrative data	2
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	0
Numerator events by administrative data	0
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Pharmacotherapy Management of COPD Exacerbation (PCE)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Pharmacotherapy Management of COPD Exacerbation			
Data Elements	Measure Data	Systemic corticosteroid	Bronchodilator
Measurement year	2009		
Data collection methodology (administrative)	A		
Eligible population	9		
Exclusions based on direct transfers to another facility*	0		
Exclusions based on readmissions*	2		
Numerator events by administrative data		3	4
Reported rate		NA	NA
Lower 95% confidence interval		NA	NA
Upper 95% confidence interval		NA	NA
* Reporting this additional data element is optional in IDSS.			

Use of Appropriate Medications for People With Asthma (ASM)				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)				
Data Element	General Measure Data	5-11 years	12-50 years	Total
Measurement year	2009			
Data collection methodology (administrative)	A			
Eligible population		0	0	0
Numerator events by administrative data		0	0	0
Reported rate		NA	NA	NA
Lower 95% confidence interval		NA	NA	NA
Upper 95% confidence interval		NA	NA	NA

Cholesterol Management for Patients With Cardiovascular Conditions (CMC)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Data Element	General Measure Data	LDL-C Screening	LDL-C level <100 mg/dL
Measurement year	2009		
Data collection methodology (administrative or hybrid)	A		
Eligible population	0		
Number of numerator events by administrative data in eligible population (before exclusions)		NR	NR
Current year's administrative rate (before exclusions)		NR	NR
Minimum required sample size (MRSS) or other sample size	NR		
Oversampling rate	NR		
Final sample size (FSS)	NR		
Number of numerator events by administrative data in FSS		NR	NR
Administrative rate on FSS		NR	NR
Number of original sample records excluded because of valid data errors	NR		
Number of employee/dependent medical records excluded	NR		
Records added from the oversample list	NR		
Denominator	NR		
Numerator events by administrative data		0	0
Numerator events by medical records		NR	NR
Reported rate		NA	NA
Lower 95% confidence interval		NA	NA
Upper 95% confidence interval		NA	NA

Controlling High Blood Pressure (CBP)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	General Measure Data
Measurement year	2009
Data collection methodology (hybrid)	H
Eligible population	53
Number of numerator events by administrative data in eligible population (before exclusions)	0
Current year's administrative rate (before exclusions)	0.00%
Minimum required sample size (MRSS) or other sample size	48
Oversampling rate	0.15
Final sample size (FSS)	48
Number of numerator events by administrative data in FSS	0
Administrative rate on FSS	0.00%
Number of original sample records excluded because of valid data errors	0
Number of records excluded because of false positive diagnoses	0
Number of administrative data records excluded	0
Number of medical data records excluded	1
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	47
Numerator events by administrative data	0
Numerator events by medical records	21
Reported rate	44.68%
Lower 95% confidence interval	29.40%
Upper 95% confidence interval	59.96%

Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	0
Numerator events by administrative data	0
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Comprehensive Diabetes Care (CDC)										
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)										
Data Element	HbA1c Testing	HbA1c Poor Control (>9.0%)	HbA1c Control (<8.0%)	HbA1c Control (<7.0%) for a Selected Population	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Medical Attention for Nephropathy	Blood Pressure Controlled <130/80 mm Hg	Blood Pressure Controlled <140/90 mm Hg
Measurement year	2009	2009	2009	2009	2009	2009	2009	2009	2009	2009
Data collection methodology (administrative or hybrid)	H	H	H	H	H	H	H	H	H	H
Eligible population	41	41	41	33	41	41	41	41	41	41
Number of numerator events by administrative data in eligible population (before exclusions)	26	38	3	2	14	21	0	27	0	0
Current year's administrative rate (before exclusions)	63.41%	92.68%	7.32%	6.06%	34.15%	51.22%	0.00%	65.85%	0.00%	0.00%
Minimum required sample size (MRSS) or other sample size	37	37	37	37	37	37	37	37	37	37
Oversampling rate	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Final sample size (FSS)	37	37	37	37	37	37	37	37	37	37
Number of numerator events by administrative data in FSS	25	35	2	1	12	21	0	26	0	0
Administrative rate on FSS	67.57%	94.59%	5.41%	2.70%	32.43%	56.76%	0.00%	70.27%	0.00%	0.00%
Number of original sample records excluded because of valid data errors	0	0	0	8	0	0	0	0	0	0
Number of administrative data records excluded	0	0	0	0	0	0	0	0	0	0
Number of medical data records excluded	0	0	0	0	0	0	0	0	0	0
Number of administrative HbA1C <7 required exclusions				8						
Number of hybrid HbA1C <7 required exclusions				0						
Number of employee/dependent medical records excluded	0	0	0	0	0	0	0	0	0	0
Records added from the oversample list	0	0	0	0	0	0	0	0	0	0
Denominator	37	37	37	29	37	37	37	37	37	37
Numerator events by administrative data	25	16	2	1	12	21	0	26	0	0
Numerator events by medical records	3	4	12	8	2	3	7	0	15	22
Reported rate	75.68%	54.05%	37.84%	NA	37.84%	64.86%	18.92%	70.27%	40.54%	59.46%
Lower 95% confidence interval	60.50%	36.64%	20.86%	NA	20.86%	48.13%	4.95%	54.19%	23.37%	42.29%
Upper 95% confidence interval	90.85%	71.46%	54.82%	NA	54.82%	81.60%	32.89%	86.35%	57.71%	76.63%

Disease Modifying Anti-Rheumatic Drug therapy in Rheumatoid Arthritis (ART)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	3
Numerator events by administrative data	0
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Use of Imaging Studies for Low Back Pain (LBP)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	18
Numerator events by administrative data	7
Reported rate	NA
Lower 95% confidence Interval	NA
Upper 95% confidence Interval	NA

Follow-Up Care for Children Prescribed ADHD Medication (ADD)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Data Element	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement year	2009		
Data collection methodology (administrative)	A		
Eligible population		0	0
Numerator events by administrative data		0	0
Reported rate		NA	NA
Lower 95% confidence interval		NA	NA
Upper 95% confidence interval		NA	NA

Annual Monitoring for Patients on Persistent Medications (MPM)						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)						
Data Element	General Measure Data	ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement year	2009					
Data collection methodology (administrative)	A					
Eligible population		19	1	19	7	46
Numerator events by administrative data		15	1	16	5	37
Reported rate		NA	NA	NA	NA	80.43%
Lower 95% confidence interval		NA	NA	NA	NA	67.88%
Upper 95% confidence interval		NA	NA	NA	NA	92.99%

Adults' Access to Preventive/Ambulatory Health Services (AAP)					
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)					
Data Element	General Measure Data	20-44 years	45-64 years	65+ years	Total
Measurement year	2009				
Data collection methodology (administrative)	A				
Eligible population		457	157	1	615
Numerator events by administrative data		356	127	1	484
Reported rate		77.90%	80.89%	NA	78.70%
Lower 95% confidence interval		73.99%	74.42%	NA	75.38%
Upper 95% confidence interval		81.81%	87.36%	NA	82.02%

Children and Adolescents' Access to Primary Care Practitioners (CAP)					
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)					
Data Element	General Measure Data	12-24 months	25 months - 6 years	7-11 years	12-19 years
Measurement year	2009				
Data collection methodology (administrative)	A				
Eligible population		281	706	5	1
Numerator events by administrative data		264	572	5	1
Reported rate		93.95%	81.02%	NA	NA
Lower 95% confidence interval		90.98%	78.06%	NA	NA
Upper 95% confidence interval		96.92%	83.98%	NA	NA

Annual Dental Visit (ADV)								
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)								
Data Element	Measure Data	2-3 Years	4-6 Years	7-10 Years	11-14 Years	15-18 Years	19-21 Years	Total
Measurement year	2009							
Data collection methodology (administrative)	A							
Eligible population		296	408	474	402	334	77	1,991
Numerator events by administrative data		104	235	269	229	145	20	1,002
Reported rate		35.14%	57.60%	56.75%	56.97%	43.41%	25.97%	50.33%
Lower 95% confidence interval		29.53%	52.68%	52.19%	52.00%	37.95%	15.53%	48.11%
Upper 95% confidence interval		40.74%	62.52%	61.32%	61.93%	48.88%	36.42%	52.55%

Prenatal and Postpartum Care (PPC)		
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)		
Data Element	Timeliness of Prenatal Care	Postpartum Care
Measurement year	2009	2009
Data collection methodology (administrative or hybrid)	H	H
Eligible population	477	477
Number of numerator events by administrative data in eligible population (before exclusions)	109	141
Current year's administrative rate (before exclusions)	22.85%	29.56%
Minimum required sample size (MRSS) or other sample size	411	411
Oversampling rate	0.1	0.1
Final sample size (FSS)	453	453
Number of numerator events by administrative data in FSS	109	143
Administrative rate on FSS	24.06%	31.57%
Number of original sample records excluded because of valid data errors	1	1
Number of employee/dependent medical records excluded	0	0
Records added from the oversample list	0	0
Denominator	452	452
Numerator events by administrative data	108	143
Numerator events by medical records	196	108
Reported rate	67.26%	55.53%
Lower 95% confidence interval	62.82%	50.84%
Upper 95% confidence interval	71.69%	60.22%

Call Answer Timeliness (CAT)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	13839
Numerator events by administrative data	12378
Reported rate	89.44%
Lower 95% confidence interval	88.93%
Upper 95% confidence interval	89.96%

Call Abandonment (CAB)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative)	A
Eligible population	13839
Numerator events by administrative data	175
Reported rate	1.26%
Lower 95% confidence interval	1.07%
Upper 95% confidence interval	1.45%

Frequency of Ongoing Prenatal Care (FPC)						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)						
Data Element	General Measure Data	<21 Percent	21-40 Percent	41-60 Percent	61-80 Percent	81+ Percent
Measurement year	2009					
Data collection methodology (administrative or hybrid)	H					
Eligible population	477					
Number of numerator events by administrative data in eligible population (before exclusions)		365	55	30	12	15
Current year's administrative rate (before exclusions)		76.52%	11.53%	6.29%	2.52%	3.14%
Minimum required sample size (MRSS) or other sample size	411					
Oversampling rate	0.1					
Final sample size (FSS)	453					
Number of numerator events by administrative data in FSS		346	52	29	12	14
Administrative rate on FSS		76.38%	11.48%	6.40%	2.65%	3.09%
Number of original sample records excluded because of valid data errors	1					
Number of employee/dependent medical records excluded	0					
Records added from the oversample list	0					
Denominator	452					
Numerator events by administrative data		4	3	1	0	0
Numerator events by medical records		103	22	30	34	255
Reported rate		23.67%	5.53%	6.86%	7.52%	56.42%
Lower 95% confidence interval		19.64%	3.31%	4.42%	4.98%	51.73%
Upper 95% confidence interval		27.70%	7.75%	9.30%	10.06%	61.10%

Well-Child Visits in the First 15 Months of Life (W15)								
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)								
Data Element	Measure Data	0 visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement year	2009							
Data collection methodology (administrative or hybrid)	H							
Eligible population	70							
Number of numerator events by administrative data in eligible population (before exclusions)		6	3	5	11	20	22	3
Current year's administrative rate (before exclusions)		8.57%	4.29%	7.14%	15.71%	28.57%	31.43%	4.29%
Minimum required sample size (MRSS) or other sample size	70							
Oversampling rate	0.1							
Final sample size (FSS)	70							
Number of numerator events by administrative data in FSS		6	3	5	11	20	22	3
Administrative rate on FSS		8.57%	4.29%	7.14%	15.71%	28.57%	31.43%	4.29%
Number of original sample records excluded because of valid data errors	0							
Number of employee/dependent medical records excluded	0							
Records added from the oversample list	0							
Denominator	70							
Numerator events by administrative data		0	0	0	0	0	0	0
Numerator events by medical records		6	2	5	8	14	18	17
Reported rate		8.57%	2.86%	7.14%	11.43%	20.00%	25.71%	24.29%
Lower 95% confidence interval		1.30%	0.00%	0.40%	3.26%	9.92%	14.76%	13.53%
Upper 95% confidence interval		15.84%	7.47%	13.89%	19.60%	30.08%	36.67%	35.05%

Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative or hybrid)	H
Eligible population	556
Number of numerator events by administrative data in eligible population (before exclusions)	277
Current year's administrative rate (before exclusions)	49.82%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.1
Final sample size (FSS)	453
Number of numerator events by administrative data in FSS	234
Administrative rate on FSS	51.66%
Number of original sample records excluded because of valid data errors	0
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	453
Numerator events by administrative data	234
Numerator events by medical records	12
Reported rate	54.30%
Lower 95% confidence interval	49.61%
Upper 95% confidence interval	59.00%

Adolescent Well-Care Visits (AWC)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2009
Data collection methodology (administrative or hybrid)	H
Eligible population	705
Number of numerator events by administrative data in eligible population (before exclusions)	216
Current year's administrative rate (before exclusions)	30.64%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.1
Final sample size (FSS)	453
Number of numerator events by administrative data in FSS	148
Administrative rate on FSS	32.67%
Number of original sample records excluded because of valid data errors	0
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	453
Numerator events by administrative data	148
Numerator events by medical records	15
Reported rate	35.98%
Lower 95% confidence interval	31.45%
Upper 95% confidence interval	40.51%

Frequency of Selected Procedures (FSP)				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)				
Age	Male	Female	Total	
0-4			33,844	
0-9			55,557	
5-19			52,627	
10-19			30,914	
15-44		24,543		
20-44	5,227	16,773		
30-64	5,542			
45-64	2,661	2,682		
Procedure	Age	Sex	Number of Procedures	Procedures / 1,000 Member Months
Myringotomy	0-4	Male & Female	30	0.89
	5-19		14	0.27
Tonsillectomy	0-9	Male & Female	31	0.56
	10-19		6	0.19
Dilation & Curettage	15-44	Female	4	0.16
	45-64		1	0.37
Hysterectomy, Abdominal	15-44	Female	7	0.29
	45-64		2	0.75
Hysterectomy, Vaginal	15-44	Female	6	0.24
	45-64		0	0.00
Cholecystectomy, Open	30-64	Male	0	0.00
	15-44	Female	0	0.00
			45-64	0
Cholecystectomy, Closed (laparoscopic)	30-64	Male	3	0.54
	15-44	Female	28	1.14
			45-64	0
Back Surgery	20-44	Male	0	0.00
		Female	5	0.30
	45-64	Male	2	0.75
		Female	4	1.49
Mastectomy	15-44	Female	0	0.00
	45-64		0	0.00
Lumpectomy	15-44	Female	1	0.04
	45-64		1	0.37

Ambulatory Care: Total (AMBA)								
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)								
Age	Member Months							
<1	12,941							
1-9	42,616							
10-19	30,914							
20-44	22,000							
45-64	5,343							
65-74	14							
75-84	0							
85+	0							
Unknown	0							
Total	113,828							
Age	Outpatient Visits		ED Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1	7716	596.24	951	73.49	44	3.40	3	0.23
1-9	10306	241.83	1786	41.91	228	5.35	9	0.21
10-19	6205	200.72	1086	35.13	227	7.34	72	2.33
20-44	8533	387.86	1691	76.86	865	39.32	182	8.27
45-64	3384	633.35	485	90.77	232	43.42	9	1.68
65-74	4	285.71	0	0.00	0	0.00	0	0.00
75-84	0	NA	0	NA	0	NA	0	NA
85+	0	NA	0	NA	0	NA	0	NA
Unknown	0		0		0		0	
Total	36,148	317.57	5,999	52.70	1,596	14.02	275	2.42

Inpatient Utilization--General Hospital/Acute Care: Total (IPUA)					
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)					
Age	Member Months				
<1	12,941				
1-9	42,616				
10-19	30,914				
20-44	22,000				
45-64	5,343				
65-74	14				
75-84	0				
85+	0				
Unknown	0				
Total	113,828				
Total Inpatient					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	74	5.72	323	24.96	4.36
1-9	79	1.85	256	6.01	3.24
10-19	176	5.69	544	17.60	3.09
20-44	844	38.36	2188	99.45	2.59
45-64	139	26.02	791	148.04	5.69
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	1,312	11.53	4,102	36.04	3.13
Medicine					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	68	5.25	184	14.22	2.71
1-9	73	1.71	233	5.47	3.19
10-19	37	1.20	234	7.57	6.32
20-44	105	4.77	450	20.45	4.29
45-64	105	19.65	505	94.52	4.81
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	388	3.41	1,606	14.11	4.14
Surgery					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	6	0.46	139	10.74	23.17
1-9	6	0.14	23	0.54	3.83
10-19	7	0.23	21	0.68	3.00
20-44	49	2.23	182	8.27	3.71
45-64	34	6.36	286	53.53	8.41

65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	102	0.90	651	5.72	6.38
Maternity*					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
10-19	132	4.27	289	9.35	2.19
20-44	689	31.32	1553	70.59	2.25
45-64	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	821	14.09	1,842	31.62	2.24
*The maternity category is calculated using member months for members 10-64 years.					

Inpatient Utilization--Nonacute Care: Total (NONA)					
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)					
Age	Member Months				
<1	12,941				
1-9	42,616				
10-19	30,914				
20-44	22,000				
45-64	5,343				
65-74	14				
75-84	0				
85+	0				
Unknown	0				
Total	113,828				
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1	0	0.00	0	0.00	NA
1-9	0	0.00	0	0.00	NA
10-19	0	0.00	0	0.00	NA
20-44	3	0.14	84	3.82	28.00
45-64	6	1.12	40	7.49	6.67
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	9	0.08	124	1.09	13.78

Outpatient Drug Utilization: Total (ORXA)				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)				
Pharmacy Benefit Member Months				
Age	Member Months			
0-9	55557			
10-17	26563			
18-34	20708			
35-49	7644			
50-64	3342			
65-74	14			
75-84	0			
85+	0			
Unknown	0			
Total	113,828			
Age	Total Cost of Prescriptions	Avg. Cost of Prescriptions/ Per Member Per Month	Total Number of Prescriptions	Avg. Num. of Prescriptions/ Per Member Per
0-9	519024	\$9.34	15113	3.26
10-17	312798	\$11.78	7126	3.22
18-34	451211	\$21.79	15500	8.98
35-49	575338	\$75.27	13052	20.49
50-64	485115	\$145.16	9939	35.69
65-74	426	\$30.43	11	9.43
75-84	0	NA	0	NA
85+	0	NA	0	NA
Unknown	0		0	
Total	\$2,343,912.00	\$20.59	60,741	6.40

Board Certification (BCR)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Type of Physician	Number of Physicians	Board Certification	
		Number	Percent
Family Medicine	343	254	74.05%
Internal Medicine	402	347	86.32%
OB/GYN physicians	138	117	84.78%
Pediatricians	197	171	86.80%
Geriatricians	14	11	78.57%
Other physician specialists	753	647	85.92%

Enrollment by Product Line: Total (ENPA)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Age	Male Member Months	Female Member Months	Total Member Months
<1	6576	6365	12,941
1-4	10814	10089	20,903
5-9	10730	10983	21,713
10-14	8405	8507	16,912
15-17	4653	4998	9,651
18-19	1579	2772	4,351
0-19 Subtotal	42,757	43,714	86,471
0-19 Subtotal: %	84.42%	69.19%	75.97%
20-24	1131	5484	6,615
25-29	1215	4604	5,819
30-34	948	2975	3,923
35-39	1023	2299	3,322
40-44	910	1411	2,321
20-44 Subtotal	5,227	16,773	22,000
20-44 Subtotal: %	10.32%	26.55%	19.33%
45-49	819	1182	2,001
50-54	757	714	1,471
55-59	653	520	1,173
60-64	432	266	698
45-64 Subtotal	2,661	2,682	5,343
45-64 Subtotal: %	5.25%	4.24%	4.69%
65-69	0	12	12
70-74	0	2	2
75-79	0	0	0
80-84	0	0	0
85-89	0	0	0
>=90	0	0	0
>=65 Subtotal	0	14	14
>=65 Subtotal: %	0.00%	0.02%	0.01%
Age Unknown	0	0	0
Total	50,645	63,183	113,828

Enrollment by State (EBS)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
State	Number
Alabama	0
Alaska	0
Arizona	13
Arkansas	0
California	3
Colorado	8
Connecticut	0
Delaware	0
District of Columbia	0
Florida	0
Georgia	0
Hawaii	0
Idaho	0
Illinois	0
Indiana	1
Iowa	0
Kansas	1
Kentucky	0
Louisiana	0
Maine	0
Maryland	0
Massachusetts	0
Michigan	1
Minnesota	0
Mississippi	0
Missouri	0
Montana	0
Nebraska	0
Nevada	0
New Hampshire	1
New Jersey	0
New Mexico	15041
New York	0
North Carolina	1
North Dakota	0
Ohio	0
Oklahoma	0
Oregon	2
Pennsylvania	0
Rhode Island	0
South Carolina	0
South Dakota	0
Tennessee	0
Texas	9
Utah	0
Vermont	0
Virginia	0
Washington	0
West Virginia	2
Wisconsin	0
Wyoming	0
American Samoa	0
Federated States of Micronesia	0
Guam	0
Commonwealth of Northern Marianas	0
Puerto Rico	0
Virgin Islands	0
Other	0
TOTAL	15,083

Language Diversity of Membership (LDM)			
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)			
Eligible Population			
Category	Value		
Total unduplicated membership during the measurement year:	18886		
Data Source	NR		
Demand for Language Interpretation Services			
Demand for Language Interpretation Services	Sex	Number	Percentage
Need/want an interpreter? Yes	M	0	0.00%
	F	0	0.00%
	Total	0	0.00%
Need/want an interpreter? No	M	0	0.00%
	F	0	0.00%
	Total	0	0.00%
Need/want an interpreter? Unknown	M	8213	43.49%
	F	10673	56.51%
	Total	18,886	100.00%
Total	M	8,213	43.49%
	F	10,673	56.51%
	Total	18,886	100.00%
Percentage of members with known interpretation needs			0.00%
Spoken Language at Home			
Spoken Language at Home	Sex	Number	Percentage
English	M	0	0.00%
	F	0	0.00%
	Total	0	0.00%
Spanish (or Spanish Creole)	M	0	0.00%
	F	1	0.01%
	Total	1	0.01%
Other Indo-European Languages (e.g., French or French Creole, Italian, Portuguese or Portuguese Creole,	M	0	0.00%
	F	0	0.00%
	Total	0	0.00%
Asian and Pacific Island Languages (e.g., Chinese, Japanese, Korean, Mon-Khmer, Cambodian, Miao, Hmong, Thai,	M	0	0.00%
	F	0	0.00%
	Total	0	0.00%
Other Languages (e.g., Navajo, Other Native North American languages, Hungarian, Arabic, Hebrew, African	M	0	0.00%
	F	0	0.00%
	Total	0	0.00%
Unknown	M	8213	43.49%
	F	10672	56.51%
	Total	18,885	99.99%
Total	M	8,213	43.49%
	F	10,673	56.51%
	Total	18,886	100.00%
Percentage of members with known spoken language			0.01%

Weeks of Pregnancy at Time of Enrollment in MCO (WOP)		
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)		
Measurement Year		
Measurement Year	2009	
Weeks of Pregnancy	Number	Percentage
< 0 weeks	24	2.96%
1-12 weeks	47	5.80%
13-27 weeks	410	50.55%
28 or more weeks	249	30.70%
Unknown	81	9.99%
Total	811	100.00%