

Audit Review Table						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None); Measurement Year - 2013						
The Auditor lock has been applied to this submission.						
Measure/Data Element	Report Measure	Benefit Offered	Rotated Measure	Rate	Reportable	Comment
Effectiveness of Care: Prevention and Screening						
Adult BMI Assessment (aba)	Y			71.68%	R	Reportable
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (wca)	Y					
<i>BMI Percentile</i>				50.99%	R	Reportable
<i>Counseling for Nutrition</i>				39.96%	R	Reportable
<i>Counseling for Physical Activity</i>				35.32%	R	Reportable
Childhood Immunization Status (cis)	Y					
<i>DTaP</i>				81.82%	R	Reportable
<i>IPV</i>				92.24%	R	Reportable
<i>MMR</i>				91.80%	R	Reportable
<i>HiB</i>				92.02%	R	Reportable
<i>Hepatitis B</i>				91.35%	R	Reportable
<i>VZV</i>				92.68%	R	Reportable
<i>Pneumococcal Conjugate</i>				80.04%	R	Reportable
<i>Hepatitis A</i>				87.14%	R	Reportable
<i>Rotavirus</i>				74.06%	R	Reportable
<i>Influenza</i>				52.77%	R	Reportable
<i>Combination #2</i>				78.27%	R	Reportable
<i>Combination #3</i>				73.84%	R	Reportable
<i>Combination #4</i>				71.84%	R	Reportable
<i>Combination #5</i>				62.31%	R	Reportable
<i>Combination #6</i>				45.90%	R	Reportable
<i>Combination #7</i>				61.42%	R	Reportable
<i>Combination #8</i>				45.01%	R	Reportable
<i>Combination #9</i>				39.91%	R	Reportable
<i>Combination #10</i>				39.25%	R	Reportable
Immunizations for Adolescents (ima)	Y					
<i>Meningococcal</i>				NR	NR	Plan chose not to report
<i>Tdap/Td</i>				NR	NR	Plan chose not to report
<i>Combination #1</i>				NR	NR	Plan chose not to report
Human Papillomavirus Vaccine for Female Adolescents (hpv)	Y			7.19%	R	Reportable
Lead Screening in Children (lsc)	Y			32.54%	R	Reportable
Breast Cancer Screening (bcs)	Y			51.43%	R	Reportable
Cervical Cancer Screening (ccs)	Y			48.05%	R	Reportable
Non-Recommended Cervical Cancer Screening in Adolescent Females (ncs)	Y			3.47%	R	Reportable

Chlamydia Screening in Women (chl)	Y					
16-20 Years				38.20%	R	Reportable
21-24 Years				60.34%	R	Reportable
Total				47.29%	R	Reportable
Effectiveness of Care: Respiratory Conditions						
Appropriate Testing for Children with Pharyngitis (cwp)	Y	Y		60.51%	R	Reportable
Appropriate Treatment for Children With URI (uri)	Y	Y		86.27%	R	Reportable
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (aab)	Y	Y		20.20%	R	Reportable
Use of Spirometry Testing in the Assessment and Diagnosis of COPD (spr)	Y			NA	R	Denominator fewer than 30
Pharmacotherapy Management of COPD Exacerbation (pce)	Y	Y				
Systemic Corticosteroid				53.33%	R	Reportable
Bronchodilator				83.33%	R	Reportable
Use of Appropriate Medications for People With Asthma (asm)	Y	Y				
5-11 Years				94.00%	R	Reportable
12-18 Years				86.96%	R	Reportable
19-50 Years				85.11%	R	Reportable
51-64 Years				NA	R	Denominator fewer than 30
Total				88.89%	R	Reportable
Medication Management for People With Asthma (mma)	Y	Y				
5-11 Years - Medication Compliance 50%				43.62%	R	Reportable
5-11 Years - Medication Compliance 75%				18.09%	R	Reportable
12-18 Years - Medication Compliance 50%				43.33%	R	Reportable
12-18 Years - Medication Compliance 75%				16.67%	R	Reportable
19-50 Years - Medication Compliance 50%				62.50%	R	Reportable
19-50 Years - Medication Compliance 75%				37.50%	R	Reportable
51-64 Years - Medication Compliance 50%				NA	R	Denominator fewer than 30
51-64 Years - Medication Compliance 75%				NA	R	Denominator fewer than 30
Total - Medication Compliance 50%				48.50%	R	Reportable
Total - Medication Compliance 75%				23.50%	R	Reportable
Asthma Medication Ratio (amr)	Y	Y				
5-11 Years				85.57%	R	Reportable
12-18 Years				65.22%	R	Reportable
19-50 Years				70.21%	R	Reportable
51-64 Years				NA	R	Denominator fewer than 30
Total				74.77%	R	Reportable
Effectiveness of Care: Cardiovascular						

Cholesterol Management for Patients With Cardiovascular Conditions (cmc)	Y					
<i>LDL-C Screening Performed</i>				NA	R	Denominator fewer than 30
<i>LDL-C Control (<100 mg/dL)</i>				NA	R	Denominator fewer than 30
Controlling High Blood Pressure (cbp)	Y		N	47.22%	R	Reportable
Persistence of Beta-Blocker Treatment After a Heart Attack (pbh)	Y	Y		NA	R	Denominator fewer than 30
Effectiveness of Care: Diabetes						
Comprehensive Diabetes Care (cdc)	Y					
<i>Hemoglobin A1c (HbA1c) Testing</i>				82.24%	R	Reportable
<i>HbA1c Poor Control (>9.0%)</i>				53.55%	R	Reportable
<i>HbA1c Control (<8.0%)</i>				36.34%	R	Reportable
<i>HbA1c Control (<7.0%)</i>				NR	NR	Plan chose not to report
<i>Eye Exam (Retinal) Performed</i>				51.91%	R	Reportable
<i>LDL-C Screening Performed</i>				65.03%	R	Reportable
<i>LDL-C Control (<100 mg/dL)</i>				27.87%	R	Reportable
<i>Medical Attention for Nephropathy</i>				75.41%	R	Reportable
<i>Blood Pressure Control (<140/80 mm Hg)</i>				36.34%	R	Reportable
<i>Blood Pressure Control (<140/90 mm Hg)</i>				55.74%	R	Reportable
Effectiveness of Care: Musculoskeletal						
Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis (art)	Y	Y		83.87%	R	Reportable
Use of Imaging Studies for Low Back Pain (lbp)	Y			73.27%	R	Reportable
Effectiveness of Care: Behavioral Health						
Antidepressant Medication Management (amm)	Y	Y				
<i>Effective Acute Phase Treatment</i>				42.78%	R	Reportable
<i>Effective Continuation Phase Treatment</i>				29.90%	R	Reportable
Follow-Up Care for Children Prescribed ADHD Medication (add)	Y	Y				
<i>Initiation Phase</i>				34.25%	R	Reportable
<i>Continuation and Maintenance (C&M) Phase</i>				NA	R	Denominator fewer than 30
Follow-Up After Hospitalization for Mental Illness (fuh)	N	N				
<i>30-Day Follow-Up</i>				NR	NR	Measure Unselected
<i>7-Day Follow-Up</i>				NR	NR	Measure Unselected
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medication (ssd)	Y	Y		NA	R	Denominator fewer than 30

Diabetes Monitoring for People With Diabetes and Schizophrenia (smd)	Y			NA	R	Denominator fewer than 30
Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (smc)	Y			NA	R	Denominator fewer than 30
Adherence to Antipsychotic Medications for Individuals With Schizophrenia (saa)	Y	Y		NA	R	Denominator fewer than 30
Effectiveness of Care: Medication Management						
Annual Monitoring for Patients on Persistent Medications (mpm)	Y	Y				
<i>ACE Inhibitors or ARBs</i>				89.70%	R	Reportable
<i>Digoxin</i>				NA	R	Denominator fewer than 30
<i>Diuretics</i>				89.76%	R	Reportable
<i>Anticonvulsants</i>				66.67%	R	Reportable
<i>Total</i>				88.12%	R	Reportable
Access/Availability of Care						
Adults' Access to Preventive/Ambulatory Health Services (aap)	Y					
<i>20-44 Years</i>				81.04%	R	Reportable
<i>45-64 Years</i>				86.11%	R	Reportable
<i>65+ Years</i>				NA	R	Denominator fewer than 30
<i>Total</i>				82.47%	R	Reportable
Children and Adolescents' Access to Primary Care Practitioners (cap)	Y					
<i>12-24 Months</i>				97.13%	R	Reportable
<i>25 Months - 6 Years</i>				86.99%	R	Reportable
<i>7-11 Years</i>				84.92%	R	Reportable
<i>12-19 Years</i>				86.72%	R	Reportable
Annual Dental Visit (adv)	Y	Y				
<i>2-3 Years</i>				56.53%	R	Reportable
<i>4-6 Years</i>				73.33%	R	Reportable
<i>7-10 Years</i>				75.48%	R	Reportable
<i>11-14 Years</i>				68.10%	R	Reportable
<i>15-18 Years</i>				59.12%	R	Reportable
<i>19-21 Years</i>				41.02%	R	Reportable
<i>Total</i>				66.80%	R	Reportable
Initiation and Engagement of AOD Dependence Treatment (iet)	N	N				
<i>Initiation of AOD Treatment: 13-17 Years</i>				NR	NR	Measure Unselected
<i>Engagement of AOD Treatment: 13-17 Years</i>				NR	NR	Measure Unselected
<i>Initiation of AOD Treatment: 18+ Years</i>				NR	NR	Measure Unselected
<i>Engagement of AOD Treatment: 18+ Years</i>				NR	NR	Measure Unselected

<i>Initiation of AOD Treatment: Total</i>				NR	NR	Measure Unselected
<i>Engagement of AOD Treatment: Total</i>				NR	NR	Measure Unselected
Prenatal and Postpartum Care (ppc)	Y		Y			
<i>Timeliness of Prenatal Care</i>				86.06%	R	Reportable
<i>Postpartum Care</i>				63.05%	R	Reportable
Call Answer Timeliness (cat)	Y			NA	R	Denominator fewer than 30
Utilization						
Frequency of Ongoing Prenatal Care (fpc)	Y		Y			
<i><21 Percent</i>				7.74%	R	Reportable
<i>21-40 Percent</i>				5.97%	R	Reportable
<i>41-60 Percent</i>				9.29%	R	Reportable
<i>61-80 Percent</i>				16.15%	R	Reportable
<i>81+ Percent</i>				60.84%	R	Reportable
Well-Child Visits in the First 15 Months of Life (w15)	Y					
<i>0 Visits</i>				0.88%	R	Reportable
<i>1 Visit</i>				2.21%	R	Reportable
<i>2 Visits</i>				1.77%	R	Reportable
<i>3 Visits</i>				6.62%	R	Reportable
<i>4 Visits</i>				10.38%	R	Reportable
<i>5 Visits</i>				15.89%	R	Reportable
<i>6+ Visits</i>				62.25%	R	Reportable
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (w34)	Y			60.18%	R	Reportable
Adolescent Well-Care Visits (awc)	Y			38.95%	R	Reportable
Frequency of Selected Procedures (fsp)	Y				R	Reportable
Ambulatory Care: Total (amba)	Y				R	Reportable
Ambulatory Care: Dual Eligibles (ambb)	Y				R	Reportable
Ambulatory Care: Disabled (ambc)	Y				R	Reportable
Ambulatory Care: Other (ambd)	Y				R	Reportable
Inpatient Utilization--General Hospital/Acute Care: Total (ipua)	Y				R	Reportable
Inpatient Utilization--General Hospital/Acute Care: Dual Eligibles (ipub)	Y				R	Reportable
Inpatient Utilization--General Hospital/Acute Care: Disabled (ipuc)	Y				R	Reportable
Inpatient Utilization--General Hospital/Acute Care: Other (ipud)	Y				R	Reportable
Identification of Alcohol and Other Drug Services: Total (iada)	N	N			NR	Measure Unselected
Identification of Alcohol and Other Drug Services: Dual Eligibles (iadb)	N	N			NR	Measure Unselected

Identification of Alcohol and Other Drug Services: Disabled (iadc)	N	N			NR	Measure Unselected
Identification of Alcohol and Other Drug Services: Other (iadd)	N	N			NR	Measure Unselected
Mental Health Utilization: Total (mpta)	N	N			NR	Measure Unselected
Mental Health Utilization: Dual Eligibles (mptb)	N	N			NR	Measure Unselected
Mental Health Utilization: Disabled (mptc)	N	N			NR	Measure Unselected
Mental Health Utilization: Other (mptd)	N	N			NR	Measure Unselected
Antibiotic Utilization: Total (abxa)	Y	Y			R	Reportable
Antibiotic Utilization: Dual Eligibles (abxb)	Y	Y			R	Reportable
Antibiotic Utilization: Disabled (abxc)	Y	Y			R	Reportable
Antibiotic Utilization: Other (abxd)	Y	Y			R	Reportable
Relative Resource Use						
Relative Resource Use for People With Diabetes (rdi)	Y				R	Reportable
Relative Resource Use for People With Asthma (ras)	Y	Y			R	Reportable
Relative Resource Use for People With Cardiovascular Conditions (rca)	Y				R	Denominator fewer than 30
Relative Resource Use for People With Hypertension (rhy)	Y				R	Reportable
Relative Resource Use for People With COPD (rco)	Y				R	Reportable
Health Plan Descriptive Information						
Board Certification (bcr)	N				NR	Measure Unselected
Total Membership (tlm)	Y				R	Reportable
Enrollment by Product Line: Total (enpa)	Y				R	Reportable
Enrollment by Product Line: Dual Eligibles (enpb)	Y				NR	Plan chose not to report
Enrollment by Product Line: Disabled (enpc)	Y				NR	Plan chose not to report
Enrollment by Product Line: Other (enpd)	Y				R	Reportable
Enrollment by State (ebs)	Y				R	Reportable
Race/Ethnicity Diversity of Membership (rdm)	N				NR	Measure Unselected
Language Diversity of Membership (ldm)	N				NR	Measure Unselected
Weeks of Pregnancy at Time of Enrollment (wop)	Y		Y		R	Reportable

Adult BMI Assessment (ABA)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative or hybrid)	H
Eligible population	1718
Number of numerator events by administrative data in eligible population (before exclusions)	71
Current year's administrative rate (before exclusions)	4.13%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.1
Final sample size (FSS)	453
Number of numerator events by administrative data in FSS	28
Administrative rate on FSS	6.18%
Number of original sample records excluded because of valid data errors	0
Number of administrative data records excluded	0
Number of medical records excluded	0
Number of employee/dependent medical records excluded	1
Records added from the oversample list	0
Denominator	452
Numerator events by administrative data	28
Numerator events by medical records	296
Reported rate	71.68%
Lower 95% confidence interval	67.42%
Upper 95% confidence interval	75.95%

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	BMI Percentile			Counseling for Nutrition			Counseling for Physical Activity		
	3-11 years	12-17 years	Total	3-11 years	12-17 years	Total	3-11 years	12-17 years	Total
Measurement year	2013			2013			2013		
Data collection methodology (administrative or hybrid)	H			H			H		
Eligible population	6918	3089	10,007	6918	3089	10,007	6918	3089	10,007
Number of numerator events by administrative data in eligible population (before exclusions)	208	120	328	303	151	454	143	79	222
Current year's administrative rate (before exclusions)	3.01%	3.88%	3.28%	4.38%	4.89%	4.54%	2.07%	2.56%	2.22%
Minimum required sample size (MRSS) or other sample size	411			411			411		
Oversampling rate	0.1			0.1			0.1		
Final sample size	453			453			453		
Number of numerator events by administrative data in FSS	13	5	18	13	5	18	6	4	10
Administrative rate on FSS	2.87%	1.10%	3.97%	2.87%	1.10%	3.97%	1.32%	0.88%	2.21%
Number of original sample records excluded because of valid data errors	0			0			0		
Number of administrative data records excluded	0			0			0		
Number of medical records excluded	0			0			0		
Number of employee/dependent medical records excluded	0			0			0		
Records added from the oversample list	0			0			0		
Denominator	323	130	453	323	130	453	323	130	453
Numerator events by administrative data	13	5	18	13	5	18	6	4	10
Numerator events by medical records	158	55	213	121	42	163	105	45	150
Reported rate	52.94%	46.15%	50.99%	41.49%	36.15%	39.96%	34.37%	37.69%	35.32%
Lower 95% confidence interval	47.34%	37.20%	46.28%	35.96%	27.51%	35.33%	29.03%	28.98%	30.81%
Upper 95% confidence interval	58.54%	55.11%	55.71%	47.01%	44.80%	44.58%	39.70%	46.41%	39.83%

Childhood Immunization Status (CIS)																				
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)																				
Data Element	General Measure Data	DTaP	IPV	MMR	HIB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza	Combinatio n 2	Combinatio n 3	Combinatio n 4	Combinatio n 5	Combinatio n 6	Combinatio n 7	Combinatio n 8	Combinatio n 9	Combinatio n 10
Measurement year	2013																			
Data collection methodology (administrative or hybrid)	H																			
Eligible population	1171																			
Number of numerator events by admin data in eligible population (before exclusions)		447	595	776	707	145	785	433	842	487	453	97	87	82	74	52	72	49	44	43
Current year's administrative rate (before exclusions)		38.17%	50.81%	66.27%	60.38%	12.38%	67.04%	36.98%	71.90%	41.59%	38.68%	8.28%	7.43%	7.00%	6.32%	4.44%	6.15%	4.18%	3.76%	3.67%
Minimum required sample size (MRSS) or other sample Size	411																			
Oversampling rate	0.1																			
Final sample size	453																			
Number of numerator events by admin data in FSS		167	220	299	266	60	305	160	322	182	173	35	31	30	25	17	25	17	14	14
Administrative rate on FSS		36.87%	48.57%	66.00%	58.72%	13.25%	67.33%	35.32%	71.08%	40.18%	38.19%	7.73%	6.84%	6.62%	5.52%	3.75%	5.52%	3.75%	3.09%	3.09%
Number of original records excluded because of valid data errors	0																			
Number of administrative data records excluded	0																			
Number of medical data records excluded	0																			
Number of employee/dependent medical records excluded	2																			
Records added from the oversample list	0																			
Denominator	451																			
Numerator events by administrative data		167	220	299	266	60	305	160	322	182	173	35	31	30	25	17	25	17	14	14
Number of numerator events by medical records		202	196	115	149	352	113	201	71	152	65	318	302	294	256	190	252	186	166	163
Reported rate		81.82%	92.24%	91.80%	92.02%	91.35%	92.68%	80.04%	87.14%	74.06%	52.77%	78.27%	73.84%	71.84%	62.31%	45.90%	61.42%	45.01%	39.91%	39.25%
Lower 95% confidence interval		78.15%	89.66%	89.15%	89.41%	88.65%	90.17%	76.24%	83.94%	69.90%	48.05%	74.35%	69.67%	67.58%	57.72%	41.19%	56.82%	40.31%	35.28%	34.63%
Upper 95% confidence interval		85.49%	94.82%	94.44%	94.63%	94.06%	95.20%	83.84%	90.34%	78.21%	57.49%	82.19%	78.00%	76.10%	66.89%	50.61%	66.02%	49.71%	44.54%	43.86%

Human Papillomavirus Vaccine for Female Adolescents (HPV)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative or hybrid)	A
Eligible population	306
Number of numerator events by administrative data in eligible population (before exclusions)	NR
Current year's administrative rate (before exclusions)	NR
Minimum required sample size (MRSS) or other sample size	NR
Oversampling rate	NR
Final sample size (FSS)	NR
Number of numerator events by administrative data in FSS	NR
Administrative rate on FSS	NR
Number of original sample records excluded because of valid data errors	NR
Number of administrative data records excluded	NR
Number of medical data records excluded	NR
Number of employee/dependent medical records excluded	NR
Records added from the oversample list	NR
Denominator	NR
Numerator events by administrative data	22
Numerator events by medical records	NR
Reported rate	7.19%
Lower 95% confidence interval	4.13%
Upper 95% confidence interval	10.25%

Lead Screening in Children (LSC)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Lead Screening in Children	
Data Elements which do not apply to the selected data collection methodology will not appear	General Measure Data
Measurement year	2013
Data collection methodology (administrative or hybrid)	A
Eligible population	1171
Number of numerator events by admin data in eligible population (before exclusions)	NR
Current year's administrative rate (before exclusions)	NR
Minimum required sample size (MRSS) or other sample size	NR
Oversampling rate	NR
Final sample size (FSS)	NR
Number of numerator events by administrative data in FSS	NR
Administrative rate on FSS	NR
Number of original sample records excluded because of valid data errors	NR
Number of administrative data records excluded	NR
Number of medical data records excluded	NR
Number of employee/dependent medical records excluded	NR
Records added from the oversample list	NR
Denominator	NR
Numerator events by administrative data	381
Numerator events by medical records	NR
Reported rate	32.54%
Lower 95% confidence interval	29.81%
Upper 95% confidence interval	35.26%

Breast Cancer Screening (BCS)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	General Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	140
Numerator events by administrative data	72
Reported rate	51.43%
Lower 95% confidence interval	42.79%
Upper 95% confidence interval	60.06%

Cervical Cancer Screening (CCS)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative or hybrid)	A
Eligible population	2256
Number of numerator events by administrative data in eligible population (before exclusions)	NR
Current year's administrative rate (before exclusions)	NR
Minimum required sample size (MRSS) or other sample size	NR
Oversampling rate	NR
Final sample size (FSS)	NR
Number of numerator events by administrative data in FSS	NR
Administrative rate on FSS	NR
Number of original sample records excluded because of valid data errors	NR
Number of administrative data records excluded	NR
Number of medical data records excluded	NR
Number of employee/dependent medical records excluded	NR
Records added from the oversample list	NR
Denominator	NR
Numerator events by administrative data	1084
Numerator events by medical records	NR
Reported rate	48.05%
Lower 95% confidence interval	45.97%
Upper 95% confidence interval	50.13%

Non-Recommended Cervical Cancer Screening in Adolescent Females (NCS)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	1008
Number of optional exclusions	4
Numerator events by administrative data	35
Reported rate	3.47%
Lower 95% confidence interval	2.29%
Upper 95% confidence interval	4.65%

Chlamydia Screening in Women (CHL)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	16-20 years	21-24 years	Total
Measurement year	2013			
Data collection methodology (administrative)	A			
Eligible population		500	348	848
Numerator events by administrative data		191	210	401
Reported rate		38.20%	60.34%	47.29%
Lower 95% confidence interval		33.84%	55.06%	43.87%
Upper 95% confidence interval		42.56%	65.63%	50.71%

Appropriate Testing for Children with Pharyngitis (CWP)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	790
Numerator events by administrative data	478
Reported rate	60.51%
Lower 95% confidence interval	57.03%
Upper 95% confidence interval	63.98%

Appropriate Treatment for Children With URI (URI)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	2375
Numerator events by administrative data	326
Reported rate	86.27%
Lower 95% confidence interval	84.87%
Upper 95% confidence interval	87.68%

Immunizations for Adolescents (IMA)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	Meningococcal	Tdap/Td	Combination 1
Measurement year	NR			
Data collection methodology (administrative or hybrid)	NR			
Eligible population	NR			
Number of numerator events by admin data in eligible population (before exclusions)		NR	NR	NR
Current year's administrative rate (before exclusions)		NR	NR	NR
Minimum required sample size (MRSS) or other sample Size	NR			
Oversampling rate	NR			
Final sample size	NR			
Number of numerator events by admin data in FSS		NR	NR	NR
Administrative rate on FSS		NR	NR	NR
Number of original records excluded because of valid data errors	NR			
Number of administrative data records excluded	NR			
Number of medical data records excluded	NR			
Number of employee/dependent medical records excluded	NR			
Records added from the oversample list	NR			
Denominator	NR			
Numerator events by administrative data		NR	NR	NR
Number of numerator events by medical records		NR	NR	NR
Reported rate		NR	NR	NR
Lower 95% confidence interval		NR	NR	NR
Upper 95% confidence interval		NR	NR	NR

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (AAB)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	99
Total numerator events by administrative data	79
Reported rate	20.20%
Lower 95% confidence interval	11.79%
Upper 95% confidence interval	28.62%

Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	20
Numerator events by administrative data	8
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Pharmacotherapy Management of COPD Exacerbation (PCE)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Pharmacotherapy Management of COPD Exacerbation

Data Elements	Measure Data	Systemic corticosteroid	Bronchodilator
Measurement year	2013		
Data collection methodology (administrative)	A		
Eligible population	30		
Numerator events by administrative data		16	25
Reported rate		53.33%	83.33%
Lower 95% confidence interval		33.81%	68.33%
Upper 95% confidence interval		72.85%	98.34%

Use of Appropriate Medications for People With Asthma (ASM)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	5-11 years	12-18 years	19-50 years	51-64 years	Total
Measurement year	2013					
Data collection methodology (administrative)	A					
Eligible population		100	69	47	9	225
Number of required exclusions		9	6	14	31	60
Numerator events by administrative data		94	60	40	6	200
Reported rate		94.00%	86.96%	85.11%	NA	88.89%
Lower 95% confidence interval		88.85%	78.29%	73.86%	NA	84.56%
Upper 95% confidence interval		99.15%	95.63%	96.35%	NA	93.22%

Medication Management for People With Asthma (MMA)											
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)											
		5-11 years		12-18 years		19-50 years		51-64 years		Total	
Data Element	General Measure Data	Medication Compliance 50%	Medication Compliance 75%	Medication Compliance 50%	Medication Compliance 75%	Medication Compliance 50%	Medication Compliance 75%	Medication Compliance 50%	Medication Compliance 75%	Medication Compliance 50%	Medication Compliance 75%
Measurement year	2013										
Data collection methodology (administrative)	A										
Eligible population		94		60		40		6		200	
Number of required exclusions		15		15		21		34		85	
Numerator events by administrative data		41	17	26	10	25	15	5	5	97	47
Reported rate		43.62%	18.09%	43.33%	16.67%	62.50%	37.50%	NA	NA	48.50%	23.50%
Lower 95% confidence interval		33.06%	9.77%	29.96%	6.40%	46.25%	21.25%	NA	NA	41.32%	17.37%
Upper 95% confidence interval		54.17%	26.40%	56.71%	26.93%	78.75%	53.75%	NA	NA	55.68%	29.63%

Asthma Medication Ratio (AMR)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data	5-11 years	12-18 years	19-50 years	51-64 years	Total
Measurement year	2013					
Data collection methodology (administrative)	A					
Eligible population		97	69	47	9	222
Number of required exclusions		12	6	14	31	63
Numerator events by administrative data		83	45	33	5	166
Reported rate		85.57%	65.22%	70.21%	NA	74.77%
Lower 95% confidence interval		78.06%	53.25%	56.07%	NA	68.84%
Upper 95% confidence interval		93.08%	77.18%	84.35%	NA	80.71%

Cholesterol Management for Patients With Cardiovascular Conditions (CMC)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	LDL-C Screening	LDL-C level <100 mg/dL
Measurement year	2013		
Data collection methodology (administrative or hybrid)	A		
Eligible population	15		
Number of numerator events by administrative data in eligible population (before exclusions)		NR	NR
Current year's administrative rate (before exclusions)		NR	NR
Minimum required sample size (MRSS) or other sample size	NR		
Oversampling rate	NR		
Final sample size (FSS)	NR		
Number of numerator events by administrative data in FSS		NR	NR
Administrative rate on FSS		NR	NR
Number of original sample records excluded because of valid data errors	NR		
Number of employee/dependent medical records excluded	NR		
Records added from the oversample list	NR		
Denominator	NR		
Numerator events by administrative data		9	0
Numerator events by medical records		NR	NR
Reported rate		NA	NA
Lower 95% confidence interval		NA	NA
Upper 95% confidence interval		NA	NA

Controlling High Blood Pressure (CBP)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data
Measurement year	2013
Data collection methodology (hybrid)	H
Eligible population	457
Number of numerator events by administrative data in eligible population (before exclusions)	0
Current year's administrative rate (before exclusions)	0.00%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.1
Final sample size (FSS)	426
Number of numerator events by administrative data in FSS	0
Administrative rate on FSS	0.00%
Number of original sample records excluded because of valid data errors	13
Number of records excluded because of false positive diagnoses	13
Number of administrative data records excluded	0
Number of medical data records excluded	0
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	413
Numerator events by administrative data	0
Numerator events by medical records	195
Reported rate	47.22%
Lower 95% confidence interval	42.28%
Upper 95% confidence interval	52.15%

Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	5
Numerator events by administrative data	5
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Comprehensive Diabetes Care (CDC)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	HbA1c Testing	HbA1c Poor Control (>9.0%)	HbA1c Control (<8.0%)	HbA1c Control (<7.0%) for a Selected Population	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Medical Attention for Nephropathy	Blood Pressure Controlled <140/80 mm Hg	Blood Pressure Controlled <140/90 mm Hg
Measurement year	2013	2013	2013	NR	2013	2013	2013	2013	2013	2013
Data collection methodology (administrative or hybrid)	H	H	H	NR	H	H	H	H	H	H
Eligible population	368	368	368	NR	368	368	368	368	368	368
Number of numerator events by administrative data in eligible population (before optional exclusions)	288	339	22	NR	172	224	21	257	0	0
Current year's administrative rate (before optional exclusions)	78.26%	92.12%	5.98%	NR	46.74%	60.87%	5.71%	69.84%	0.00%	0.00%
Minimum required sample size (MRSS) or other sample size	366	366	366	NR	366	366	366	366	366	366
Oversampling rate	0.1	0.1	0.1	NR	0.1	0.1	0.1	0.1	0.1	0.1
Final sample size (FSS)	366	366	366	NR	366	366	366	366	366	366
Number of numerator events by administrative data in FSS	287	338	21	NR	172	223	19	256	0	0
Administrative rate on FSS	78.42%	92.35%	5.74%	NR	46.99%	60.93%	5.19%	69.95%	0.00%	0.00%
Number of original sample records excluded because of valid data errors	2	2	2	NR	2	2	2	2	2	2
Number of optional administrative data records excluded	0	0	0	NR	0	0	0	0	0	0
Number of optional medical data records excluded	0	0	0	NR	0	0	0	0	0	0
Number of HbA1c <7 required medical records excluded				NR						
Number of HbA1c <7 required administrative data records excluded				NR						
Number of employee/dependent medical records excluded	0	0	0	NR	0	0	0	0	0	0
Records added from the oversample list	0	0	0	NR	0	0	0	0	0	0
Denominator	366	366	366	NR	366	366	366	366	366	366
Numerator events by administrative data	287	155	21	NR	172	223	19	256	0	0
Numerator events by medical records	14	41	112	NR	18	15	83	20	133	204
Reported rate	82.24%	53.55%	36.34%	NR	51.91%	65.03%	27.87%	75.41%	36.34%	55.74%
Lower 95% confidence interval	78.19%	48.31%	31.27%	NR	46.66%	60.00%	23.14%	70.86%	31.27%	50.51%
Upper 95% confidence interval	86.29%	58.80%	41.40%	NR	57.17%	70.05%	32.60%	79.96%	41.40%	60.96%

Disease Modifying Anti-Rheumatic Drug therapy in Rheumatoid Arthritis (ART)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	31
Numerator events by administrative data	26
Reported rate	83.87%
Lower 95% confidence interval	69.31%
Upper 95% confidence interval	98.43%

Use of Imaging Studies for Low Back Pain (LBP)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	202
Numerator events by administrative data	54
Reported rate	73.27%
Lower 95% confidence Interval	66.92%
Upper 95% confidence Interval	79.62%

Antidepressant Medication Management (AMM)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement year	2013		
Data collection methodology (administrative)	A		
Eligible population	194		
Numerator events by administrative data		83	58
Reported rate		42.78%	29.90%
Lower 95% confidence interval		35.56%	23.20%
Upper 95% confidence interval		50.00%	36.60%

Follow-Up Care for Children Prescribed ADHD Medication (ADD)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement year	2013		
Data collection methodology (administrative)	A		
Eligible population		146	18
Numerator events by administrative data		50	11
Reported rate		34.25%	NA
Lower 95% confidence interval		26.21%	NA
Upper 95% confidence interval		42.29%	NA

Follow-Up After Hospitalization for Mental Illness (FUH)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	30-day follow-up	7-day follow-up
Measurement year	NR		
Data collection methodology (administrative)	NR		
Eligible population	NR		
Numerator events by administrative data		NR	NR
Reported rate		NR	NR
Lower 95% confidence interval		NR	NR
Upper 95% confidence interval		NR	NR

Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medication (SSD)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	16
Number of required exclusions	43
Numerator events by administrative data	15
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	3
Numerator events by administrative data	2
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	0
Numerator events by administrative data	0
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

**Adherence to Antipsychotic Medications
for Individuals With Schizophrenia
(SAA)**

Blue Cross and Blue Shield of New Mexico (Org ID:
1825, SubID: 9522, Medicaid, Spec Area: None, Spec
Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	10
Number of required exclusions	18
Numerator events by administrative data	3
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Annual Monitoring for Patients on Persistent Medications (MPM)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement year	2013					
Data collection methodology (administrative)	A					
Eligible population		301	5	205	36	547
Numerator events by administrative data		270	4	184	24	482
Reported rate		89.70%	NA	89.76%	66.67%	88.12%
Lower 95% confidence interval		86.10%	NA	85.36%	49.88%	85.31%
Upper 95% confidence interval		93.30%	NA	94.15%	83.45%	90.92%

Adults' Access to Preventive/Ambulatory Health Services (AAP)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	20-44 years	45-64 years	65+ years	Total
Measurement year	2013				
Data collection methodology (administrative)	A				
Eligible population		2990	1152	5	4,147
Numerator events by administrative data		2423	992	5	3,420
Reported rate		81.04%	86.11%	NA	82.47%
Lower 95% confidence interval		79.61%	84.07%	NA	81.30%
Upper 95% confidence interval		82.46%	88.15%	NA	83.64%

Children and Adolescents' Access to Primary Care Practitioners (CAP)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	General Measure Data	12-24 months	25 months - 6 years	7-11 years	12-19 years
Measurement year	2013				
Data collection methodology (administrative)	A				
Eligible population		1357	6036	2539	2951
Numerator events by administrative data		1318	5251	2156	2559
Reported rate		97.13%	86.99%	84.92%	86.72%
Lower 95% confidence interval		96.20%	86.14%	83.50%	85.47%
Upper 95% confidence interval		98.05%	87.85%	86.33%	87.96%

Annual Dental Visit (ADV)								
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)								
Data Element	Measure Data	2-3 Years	4-6 Years	7-10 Years	11-14 Years	15-18 Years	19-21 Years	Total
Measurement year	2013							
Data collection methodology (administrative)	A							
Eligible population		2781	3360	3410	3072	2527	295	15,445
Numerator events by administrative data		1572	2464	2574	2092	1494	121	10,317
Reported rate		56.53%	73.33%	75.48%	68.10%	59.12%	41.02%	66.80%
Lower 95% confidence interval		54.67%	71.82%	74.03%	66.43%	57.18%	35.23%	66.05%
Upper 95% confidence interval		58.39%	74.84%	76.94%	69.76%	61.06%	46.80%	67.54%

Initiation and Engagement of AOD Dependence Treatment (IET)							
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)							
Data Elements	General Measure Data	13-17 years		18+ years		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement year	NR						
Data collection methodology (administrative)	NR						
Eligible population		NR		NR		NR	
Numerator events by administrative data		NR	NR	NR	NR	NR	NR
Reported rate		NR	NR	NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR	NR	NR

Prenatal and Postpartum Care (PPC)		
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)		
Data Element	Timeliness of Prenatal Care	Postpartum Care
Measurement year	2012	2012
Data collection methodology (administrative or hybrid)	H	H
Eligible population	1161	1161
Number of numerator events by administrative data in eligible population (before exclusions)	425	379
Current year's administrative rate (before exclusions)	36.61%	32.64%
Minimum required sample size (MRSS) or other sample size	411	411
Oversampling rate	0.1	0.1
Final sample size (FSS)	453	453
Number of numerator events by administrative data in FSS	168	146
Administrative rate on FSS	37.09%	32.23%
Number of original sample records excluded because of valid data errors	1	1
Number of employee/dependent medical records excluded	0	0
Records added from the oversample list	0	0
Denominator	452	452
Numerator events by administrative data	168	146
Numerator events by medical records	221	139
Reported rate	86.06%	63.05%
Lower 95% confidence interval	82.76%	58.49%
Upper 95% confidence interval	89.37%	67.61%

Call Answer Timeliness (CAT)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative)	A
Eligible population	0
Numerator events by administrative data	0
Reported rate	NA
Lower 95% confidence interval	NA
Upper 95% confidence interval	NA

Frequency of Ongoing Prenatal Care (FPC)						
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)						
Data Element	General Measure Data	<21 Percent	21-40 Percent	41-60 Percent	61-80 Percent	81+ Percent
Measurement year	2012					
Data collection methodology (administrative or hybrid)	H					
Eligible population	1160					
Number of numerator events by administrative data in eligible population (before exclusions)		737	209	86	54	74
Current year's administrative rate (before exclusions)		63.53%	18.02%	7.41%	4.66%	6.38%
Minimum required sample size (MRSS) or other sample size	411					
Oversampling rate	0.1					
Final sample size (FSS)	453					
Number of numerator events by administrative data in FSS		288	89	29	15	32
Administrative rate on FSS		63.58%	19.65%	6.40%	3.31%	7.06%
Number of original sample records excluded because of valid data errors	1					
Number of employee/dependent medical records excluded	0					
Records added from the oversample list	0					
Denominator	452					
Numerator events by administrative data		32	18	5	8	36
Numerator events by medical records		3	9	37	65	239
Reported rate		7.74%	5.97%	9.29%	16.15%	60.84%
Lower 95% confidence interval		5.17%	3.68%	6.50%	12.65%	56.23%
Upper 95% confidence interval		10.32%	8.27%	12.08%	19.65%	65.45%

Well-Child Visits in the First 15 Months of Life (W15)								
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)								
Data Element	Measure Data	0 visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement year	2013							
Data collection methodology (administrative or hybrid)	H							
Eligible population	975							
Number of numerator events by administrative data in eligible population (before exclusions)		19	27	33	59	126	194	517
Current year's administrative rate (before exclusions)		1.95%	2.77%	3.38%	6.05%	12.92%	19.90%	53.03%
Minimum required sample size (MRSS) or other sample size	411							
Oversampling rate	0.1							
Final sample size (FSS)	453							
Number of numerator events by administrative data in FSS		5	13	10	33	59	91	242
Administrative rate on FSS		1.10%	2.87%	2.21%	7.28%	13.02%	20.09%	53.42%
Number of original sample records excluded because of valid data errors	0							
Number of employee/dependent medical records excluded	0							
Records added from the oversample list	0							
Denominator	453							
Numerator events by administrative data		4	9	4	28	41	66	241
Numerator events by medical records		0	1	4	2	6	6	41
Reported rate		0.88%	2.21%	1.77%	6.62%	10.38%	15.89%	62.25%
Lower 95% confidence interval		0.00%	0.74%	0.44%	4.22%	7.46%	12.42%	57.68%
Upper 95% confidence interval		1.85%	3.67%	3.09%	9.02%	13.29%	19.37%	66.83%

Adolescent Well-Care Visits (AWC)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative or hybrid)	A
Eligible population	5083
Number of numerator events by administrative data in eligible population (before exclusions)	NR
Current year's administrative rate (before exclusions)	NR
Minimum required sample size (MRSS) or other sample size	NR
Oversampling rate	NR
Final sample size (FSS)	NR
Number of numerator events by administrative data in FSS	NR
Administrative rate on FSS	NR
Number of original sample records excluded because of valid data errors	NR
Number of employee/dependent medical records excluded	NR
Records added from the oversample list	NR
Denominator	NR
Numerator events by administrative data	1980
Numerator events by medical records	NR
Reported rate	38.95%
Lower 95% confidence interval	37.60%
Upper 95% confidence interval	40.30%

Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life (W34)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Data Element	Measure Data
Measurement year	2013
Data collection methodology (administrative or hybrid)	H
Eligible population	4747
Number of numerator events by administrative data in eligible population (before exclusions)	2844
Current year's administrative rate (before exclusions)	59.91%
Minimum required sample size (MRSS) or other sample size	411
Oversampling rate	0.1
Final sample size (FSS)	453
Number of numerator events by administrative data in FSS	263
Administrative rate on FSS	58.06%
Number of original sample records excluded because of valid data errors	0
Number of employee/dependent medical records excluded	1
Records added from the oversample list	0
Denominator	452
Numerator events by administrative data	263
Numerator events by medical records	9
Reported rate	60.18%
Lower 95% confidence interval	55.55%
Upper 95% confidence interval	64.80%

Frequency of Selected Procedures (FSP)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Male	Female	Total	
0-9	97,735	93,464	191,199	
10-19	54,517	54,157	108,674	
15-44		74,921		
20-44	18,934	51,772		
30-64	21,356			
45-64	10,457	9,956		

Procedure	Age	Sex	Number of Procedures	Procedures / 1,000 Member Months
Bariatric weight loss surgery	0-19	Male	0	0.00
		Female	0	0.00
	20-44	Male	0	0.00
		Female	0	0.00
	45-64	Male	0	0.00
		Female	0	0.00
Tonsillectomy	0-9	Male & Female	120	0.63
	10-19	Male & Female	62	0.57
Hysterectomy, Abdominal	15-44	Female	22	0.29
	45-64		0	0.00
Hysterectomy, Vaginal	15-44	Female	12	0.16
	45-64		4	0.40
Cholecystectomy, Open	30-64	Male	0	0.00
	15-44	Female	1	0.01
			0	0.00
Cholecystectomy (laparoscopic)	30-64	Male	17	0.80
	15-44	Female	70	0.93
			9	0.90
Back Surgery	20-44	Male	7	0.37
		Female	9	0.17
	45-64	Male	17	1.63
		Female	3	0.30
Mastectomy	15-44	Female	0	0.00
	45-64		1	0.10
Lumpectomy	15-44	Female	7	0.09
	45-64		11	1.10

Ambulatory Care: Total (AMBA)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months			
<1	26,677			
1-9	164,522			
10-19	108,674			
20-44	70,706			
45-64	20,413			
65-74	59			
75-84	0			
85+	0			
Unknown	0			
Total	391,051			

Age	Outpatient Visits		ED Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	21139	792.41	2067	77.48
1-9	46344	281.69	6435	39.11
10-19	23870	219.65	3445	31.70
20-44	26603	376.25	5315	75.17
45-64	13230	648.12	1585	77.65
65-74	45	762.71	4	67.80
75-84	0	NA	0	NA
85+	0	NA	0	NA
Unknown	0		0	
Total	131,231	335.59	18,851	48.21

Inpatient Utilization--General Hospital/Acute Care: Total (IPUA)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Member Months
<1	26,677
1-9	164,522
10-19	108,674
20-44	70,706
45-64	20,413
65-74	59
75-84	0
85+	0
Unknown	0
Total	391,051

Total Inpatient

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	296	11.10	1592	59.68	5.38
1-9	385	2.34	1309	7.96	3.40
10-19	364	3.35	1122	10.32	3.08
20-44	1781	25.19	4841	68.47	2.72
45-64	368	18.03	1612	78.97	4.38
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	3,194	8.17	10,476	26.79	3.28

Medicine

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	267	10.01	1242	46.56	4.65
1-9	331	2.01	1130	6.87	3.41
10-19	115	1.06	456	4.20	3.97
20-44	187	2.64	858	12.13	4.59
45-64	277	13.57	1133	55.50	4.09
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	1,177	3.01	4,819	12.32	4.09

Surgery					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
<1	29	1.09	350	13.12	12.07
1-9	54	0.33	179	1.09	3.31
10-19	45	0.41	185	1.70	4.11
20-44	131	1.85	571	8.08	4.36
45-64	90	4.41	476	23.32	5.29
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	349	0.89	1,761	4.50	5.05
Maternity*					
Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Members Months	Average Length of Stay
10-19	204	1.88	481	4.43	2.36
20-44	1463	20.69	3412	48.26	2.33
45-64	1	0.05	3	0.15	3.00
Unknown	0		0		NA
Total	1,668	8.35	3,896	19.50	2.34
*The maternity category is calculated using member months for members 10-64 years.					

Antibiotic Utilization: Total (ABXA)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Pharmacy Benefit Member Months			
Age	Male	Female	Total
0-9	97735	93464	191,199
10-17	49344	47141	96,485
18-34	17914	47050	64,964
35-49	8802	15225	24,027
50-64	7848	6469	14,317
65-74	3	56	59
75-84	0	0	0
85+	0	0	0
Unknown	0	0	0
Total	181,646	209,405	391,051

Antibiotic Utilization								
Age	Sex	Total Antibiotic Scrips	Average Scrips PMPY for Antibiotics	Total Days Supplied for All Antibiotic Scrips	Average Days Supplied per Antibiotic Scrip	Total Number of Scrips for Antibiotics of Concern	Average Scrips PMPY for Antibiotics of Concern	Percentage of Antibiotics of Concern of all Antibiotic Scrips
0-9	M	7345	0.90	65021	8.85	3128	0.38	42.59%
	F	7030	0.90	62056	8.83	2721	0.35	38.71%
	Total	14,375	0.90	127,077	8.84	5,849	0.37	40.69%
10-17	M	2224	0.54	21775	9.79	1045	0.25	46.99%
	F	2743	0.70	25948	9.46	1166	0.30	42.51%
	Total	4,967	0.62	47,723	9.61	2,211	0.27	44.51%
18-34	M	1024	0.69	9422	9.20	443	0.30	43.26%
	F	5653	1.44	47180	8.35	2145	0.55	37.94%
	Total	6,677	1.23	56,602	8.48	2,588	0.48	38.76%
35-49	M	746	1.02	6740	9.03	326	0.44	43.70%
	F	2112	1.66	18320	8.67	997	0.79	47.21%
	Total	2,858	1.43	25,060	8.77	1,323	0.66	46.29%
50-64	M	703	1.07	6895	9.81	301	0.46	42.82%
	F	992	1.84	9022	9.09	491	0.91	49.50%
	Total	1,695	1.42	15,917	9.39	792	0.66	46.73%
65-74	M	0	0.00	0	NA	0	0.00	NA
	F	12	2.57	278	23.17	3	0.64	25.00%
	Total	12	2.44	278	23.17	3	0.61	25.00%
75-84	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
85+	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
Unknown	M	0	NA	0	NA	0	NA	NA
	F	0	NA	0	NA	0	NA	NA
	Total	0	NA	0	NA	0	NA	NA
Total	M	12,042	0.80	109,853	9.12	5,243	0.35	43.54%
	F	18,542	1.06	162,804	8.78	7,523	0.43	40.57%
	Total	30,584	0.94	272,657	8.92	12,766	0.39	41.74%

Antibiotics of Concern Utilization															
Age	Sex	Total Quinolone Scrips	Average Scrips PMPY for Quinolones	Total Cephalosporin 2nd-4th Generation Scrips	Average Scrips PMPY for Cephalosporins 2nd-4th Generation	Total Azithromycin and Clarithromycin Scrips	Average Scrips PMPY for Azithromycins and Clarithromycins	Total Amoxicillin/Clavulanate Scrips	Average Scrips PMPY for Amoxicillin/Clavulanates	Total Ketolides Scrips	Average Scrips PMPY for Ketolides	Total Clindamycin Scrips	Average Scrips PMPY for Clindamycins	Total Misc. Antibiotics of Concern Scrips	Average Scrips PMPY for Misc. Antibiotics of Concern
0-9	M	1	0.00	416	0.05	1769	0.22	870	0.11	0	0.00	72	0.01	0	0.00
	F	9	0.00	404	0.05	1485	0.19	762	0.10	0	0.00	61	0.01	0	0.00
	Total	10	0.00	820	0.05	3,254	0.20	1,632	0.10	0	0.00	133	0.01	0	0.00
10-17	M	19	0.00	55	0.01	692	0.17	216	0.05	0	0.00	56	0.01	7	0.00
	F	58	0.01	98	0.02	706	0.18	263	0.07	0	0.00	41	0.01	0	0.00
	Total	77	0.01	153	0.02	1,398	0.17	479	0.06	0	0.00	97	0.01	7	0.00
18-34	M	56	0.04	13	0.01	224	0.15	91	0.06	0	0.00	59	0.04	0	0.00
	F	397	0.10	76	0.02	1047	0.27	386	0.10	0	0.00	235	0.06	4	0.00
	Total	453	0.08	89	0.02	1,271	0.23	477	0.09	0	0.00	294	0.05	4	0.00
35-49	M	76	0.10	16	0.02	127	0.17	62	0.08	0	0.00	43	0.06	2	0.00
	F	234	0.18	27	0.02	415	0.33	199	0.16	0	0.00	121	0.10	1	0.00

	Total	310	0.15	43	0.02	542	0.27	261	0.13	0	0.00	164	0.08	3	0.00
50-64	M	84	0.13	9	0.01	112	0.17	56	0.09	0	0.00	40	0.06	0	0.00
	F	138	0.26	26	0.05	184	0.34	82	0.15	0	0.00	58	0.11	3	0.01
	Total	222	0.19	35	0.03	296	0.25	138	0.12	0	0.00	98	0.08	3	0.00
65-74	M	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	F	1	0.21	0	0.00	2	0.43	0	0.00	0	0.00	0	0.00	0	0.00
	Total	1	0.20	0	0.00	2	0.41	0	0.00	0	0.00	0	0.00	0	0.00
75-84	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
85+	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Unknown	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Total	M	236	0.02	509	0.03	2,924	0.19	1,295	0.09	0	0.00	270	0.02	9	0.00
	F	837	0.05	631	0.04	3,839	0.22	1,692	0.10	0	0.00	516	0.03	8	0.00
	Total	1,073	0.03	1,140	0.03	6,763	0.21	2,987	0.09	0	0.00	786	0.02	17	0.00

All Other Antibiotics Utilization

Age	Sex	Total Absorbable Sulfonamide Scrips	Average Scrips PMPY for Absorbable Sulfonamides	Total Aminoglycoside Scrips	Average Scrips PMPY for Aminoglycosides	Total 1st Generation Cephalosporin Scrips	Average Scrips PMPY for 1st Generation Cephalosporins	Total Lincosamide Scrips	Average Scrips PMPY for Lincosamides	Total Macrolides (not azith. or clarith.) Scrips	Average Scrips PMPY for Macrolides (not azith. or clarith.)	Total Penicillin Scrips	Average Scrips PMPY for Penicillins	Total Tetracycline Scrips	Average Scrips PMPY for Tetracyclines	Total Misc. Antibiotic Scrips	Average Scrips PMPY for Misc. Antibiotics
0-9	M	312	0.04	2	0.00	507	0.06	0	0.00	5	0.00	3351	0.41	1	0.00	39	0.00
	F	415	0.05	1	0.00	577	0.07	0	0.00	13	0.00	3254	0.42	0	0.00	49	0.01
	Total	727	0.05	3	0.00	1,084	0.07	0	0.00	18	0.00	6,605	0.41	1	0.00	88	0.01
10-17	M	115	0.03	0	0.00	202	0.05	0	0.00	12	0.00	657	0.16	169	0.04	24	0.01
	F	208	0.05	0	0.00	271	0.07	0	0.00	14	0.00	745	0.19	208	0.05	131	0.03
	Total	323	0.04	0	0.00	473	0.06	0	0.00	26	0.00	1,402	0.17	377	0.05	155	0.02
18-34	M	76	0.05	0	0.00	115	0.08	0	0.00	2	0.00	309	0.21	69	0.05	10	0.01
	F	403	0.10	0	0.00	581	0.15	0	0.00	9	0.00	1122	0.29	299	0.08	1094	0.28
	Total	479	0.09	0	0.00	696	0.13	0	0.00	11	0.00	1,431	0.26	368	0.07	1,104	0.20
35-49	M	94	0.13	0	0.00	75	0.10	0	0.00	1	0.00	192	0.26	33	0.04	25	0.03
	F	176	0.14	0	0.00	211	0.17	0	0.00	2	0.00	363	0.29	126	0.10	237	0.19
	Total	270	0.13	0	0.00	286	0.14	0	0.00	3	0.00	555	0.28	159	0.08	262	0.13
50-64	M	95	0.15	0	0.00	74	0.11	0	0.00	0	0.00	163	0.25	56	0.09	14	0.02
	F	72	0.13	0	0.00	103	0.19	0	0.00	1	0.00	180	0.33	51	0.09	94	0.17
	Total	167	0.14	0	0.00	177	0.15	0	0.00	1	0.00	343	0.29	107	0.09	108	0.09
65-74	M	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
	F	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	0.21	0	0.00	8	1.71
	Total	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	1	0.20	0	0.00	8	1.63
75-84	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
85+	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Unknown	M	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
	Total	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA	0	NA
Total	M	692	0.05	2	0.00	973	0.06	0	0.00	20	0.00	4,672	0.31	328	0.02	112	0.01
	F	1,274	0.07	1	0.00	1,743	0.10	0	0.00	39	0.00	5,665	0.32	684	0.04	1,613	0.09
	Total	1,966	0.06	3	0.00	2,716	0.08	0	0.00	59	0.00	10,337	0.32	1,012	0.03	1,725	0.05

Board Certification (BCR)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Type of Physician	Number of Physicians in Each	Board Certification	
		Number	Percent
Family Medicine	NR	NR	NR
Internal Medicine	NR	NR	NR
OB/GYN physicians	NR	NR	NR
Pediatricians	NR	NR	NR
Geriatricians	NR	NR	NR
Other physician specialists	NR	NR	NR

Total Membership (TLM)	
Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)	
Product/Product Line	Total Number of Members*
HMO (Total)	35,228
Medicaid	35228
Commercial	0
Medicare (cost or risk)	0
Other	0
PPO (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
POS (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
FFS (Total)	0
Medicaid	0
Commercial	0
Medicare (cost or risk)	0
Other	0
Total	35,228
* Total number of members in each category as of December 31 of the measurement year.	

Enrollment by Product Line: Total (ENPA)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Age	Male Member Months	Female Member Months	Total Member Months
<1	13658	13019	26,677
1-4	44921	43356	88,277
5-9	39156	37089	76,245
10-14	32723	31008	63,731
15-17	16621	16133	32,754
18-19	5173	7016	12,189
0-19 Subtotal	152,252	147,621	299,873
0-19 Subtotal: %	83.82%	70.50%	76.68%
20-24	3827	14589	18,416
25-29	4208	14469	18,677
30-34	4706	10976	15,682
35-39	3496	7440	10,936
40-44	2697	4298	6,995
20-44 Subtotal	18,934	51,772	70,706
20-44 Subtotal: %	10.42%	24.72%	18.08%
45-49	2609	3487	6,096
50-54	2879	2807	5,686
55-59	2948	2147	5,095
60-64	2021	1515	3,536
45-64 Subtotal	10,457	9,956	20,413
45-64 Subtotal: %	5.76%	4.75%	5.22%
65-69	3	33	36
70-74	0	23	23
75-79	0	0	0
80-84	0	0	0
85-89	0	0	0
>=90	0	0	0
>=65 Subtotal	3	56	59
>=65 Subtotal: %	0.00%	0.03%	0.02%
Age Unknown	0	0	0
Total	181,646	209,405	391,051

Enrollment by State (EBS)

Blue Cross and Blue Shield of New Mexico (Org ID:
1825, SubID: 9522, Medicaid, Spec Area: None, Spec
Proj: None)

State	Number
Alabama	1
Alaska	0
Arizona	47
Arkansas	0
California	11
Colorado	29
Connecticut	1
Delaware	0
District of Columbia	0
Florida	2
Georgia	5
Hawaii	0
Idaho	1
Illinois	5
Indiana	0
Iowa	2
Kansas	7
Kentucky	4
Louisiana	1
Maine	0
Maryland	0
Massachusetts	1
Michigan	0
Minnesota	0
Mississippi	0
Missouri	1
Montana	0
Nebraska	0
Nevada	3
New Hampshire	0
New Jersey	0
New Mexico	35036
New York	4
North Carolina	0
North Dakota	0
Ohio	1
Oklahoma	3
Oregon	1
Pennsylvania	8
Rhode Island	0
South Carolina	0

South Dakota	0
Tennessee	1
Texas	40
Utah	2
Vermont	0
Virginia	0
Washington	6
West Virginia	0
Wisconsin	0
Wyoming	5
American Samoa	0
Federated States of Micronesia	0
Guam	0
Commonwealth of Northern Marianas	0
Puerto Rico	0
Virgin Islands	0
Other	0
TOTAL	35,228

Language Diversity of Membership (LDM)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Percentage of Members With Known Language Value from Each Data Source

Category	Health Plan Direct	CMS/State Databases	Other Third-Party Source
Spoken Language Preferred for Health Care*	NR	NR	NR
Preferred Language for Written Materials*	NR	NR	NR
Other Language Needs*	NR	NR	NR

*Enter percentage as a value between 0 and 1.

Spoken Language Preferred for Health Care

	Number	Percentage
English	NR	NR
Non-English	NR	NR
Unknown	NR	NR
Declined	NR	NR
Total*	NR	NR

Language Preferred for Written Materials

	Number	Percentage
English	NR	NR
Non-English	NR	NR
Unknown	NR	NR
Declined	NR	NR
Total*	NR	NR

Other Language Needs

	Number	Percentage
English	NR	NR
Non-English	NR	NR
Unknown	NR	NR
Declined	NR	NR
Total*	NR	NR

*Should sum to 100%

Weeks of Pregnancy at Time of Enrollment (WOP)

Blue Cross and Blue Shield of New Mexico (Org ID: 1825, SubID: 9522, Medicaid, Spec Area: None, Spec Proj: None)

Measurement Year		
Measurement Year	2012	
Weeks of Pregnancy	Number	Percentage
< 0 weeks	299	21.79%
1-12 weeks	117	8.53%
13-27 weeks	616	44.90%
28 or more weeks	250	18.22%
Unknown	90	6.56%
Total	1,372	100.00%